

Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-103-0008	8	28.0	24.89	6
500-103-0009	9	31.0	27.85	8
500-103-0010	10	34.0	30.82	10
500-103-0011	11	37.0	33.80	10
500-103-0012	12	40.0	36.80	10
500-103-0013	13	43.0	39.80	10
500-103-0014	14	46.3	42.80	12
500-103-0015	15	49.3	45.81	12
500-103-0016	16	52.3	48.82	12
500-103-0017	17	55.3	51.83	12
500-103-0018	18	58.3	54.85	12
500-103-0019	19	61.3	57.87	12
500-103-0020	20	64.3	60.89	12
500-103-0021	21	68.0	63.91	14
500-103-0022	22	71.0	66.93	14
500-103-0023	23	73.5	69.95	14
500-103-0024	24	77.0	72.97	14
500-103-0025	25	80.0	76.00	14


GG-Bestell-Nr.	Zz	D _K	D	D _L
500-103-0026	26	83.0	79.02	14
500-103-0027	27	86.0	82.04	14
500-103-0028	28	89.0	85.07	14
500-103-0029	29	92.0	88.09	14
500-103-0030	30	94.7	91.12	14
500-103-0031	31	98.3	94.15	16
500-103-0032	32	101.3	97.17	16
500-103-0033	33	104.3	100.20	16
500-103-0034	34	107.3	103.23	16
500-103-0035	35	110.4	106.26	16
500-103-0036	36	113.4	109.29	16
500-103-0037	37	116.4	112.32	16
500-103-0038	38	119.5	115.34	16
500-103-0039	39	122.5	118.37	16
500-103-0040	40	125.5	121.40	16
500-103-0041	41	128.5	124.43	16
500-103-0042	42	131.6	127.46	16
500-103-0043	43	134.6	130.49	16

Rollenkette DIN 8187

06 B-3	Teilung	9,525mm
3/8 x 7/32"	Innere Breite	5,72mm
9,525 x 5,72mm	Rollen ø	6,35mm

Kettenrad DIN 8196

Zahnbreite B1	5,3mm
Zahnbreite B3	25,6mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D_k	D	D_L
500-103-0044	44	137.6	133.52	16
500-103-0045	45	140.7	136.54	16
500-103-0046	46	143.7	139.58	16
500-103-0047	47	146.7	142.61	16
500-103-0048	48	149.7	145.64	16
500-103-0049	49	152.7	148.66	16
500-103-0050	50	155.7	151.69	16
500-103-0051	51	158.7	154.72	20
500-103-0052	52	161.8	157.75	20
500-103-0053	53	164.8	160.78	20
500-103-0054	54	167.8	163.82	20
500-103-0055	55	170.8	166.85	20
500-103-0056	56	173.8	169.88	20
500-103-0057	57	176.9	172.91	20
500-103-0058	58	179.9	175.93	20
500-103-0059	59	183.0	178.96	20
500-103-0060	60	186.0	181.99	20
500-103-0062	62	192.1	188.06	20


GG-Bestell-Nr.	Zz	D_k	D	D_L
500-103-0064	64	198.2	194.12	20
500-103-0065	65	201.6	197.15	20
500-103-0066	66	204.6	200.18	25
500-103-0068	68	210.7	206.24	25
500-103-0070	70	216.7	212.30	25
500-103-0072	72	222.8	218.37	25
500-103-0075	75	231.9	227.46	25
500-103-0076	76	234.9	230.49	25
500-103-0080	80	247.1	242.61	25
500-103-0085	85	262.2	257.77	25
500-103-0090	90	277.4	272.93	25
500-103-0095	95	292.5	288.08	25

Rollenkette DIN 8187

06 B-3	Teilung	9,525mm
3/8 x 7/32"	Innere Breite	5,72mm
9,525 x 5,72mm	Rollen \varnothing	6,35mm

Kettenrad DIN 8196

Zahnbreite B1	5,3mm
Zahnbreite B3	25,6mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-203-0008	8	37.2	33.18	10
500-203-0009	9	41.5	37.13	10
500-203-0010	10	46.2	41.10	10
500-203-0011	11	49.6	45.07	12
500-203-0012	12	53.9	49.07	12
500-203-0013	13	58.4	53.06	12
500-203-0014	14	62.8	57.07	12
500-203-0015	15	66.8	61.09	12
500-203-0016	16	70.9	65.10	16
500-203-0017	17	74.9	69.11	16
500-203-0018	18	78.9	73.14	16
500-203-0019	19	82.9	77.16	16
500-203-0020	20	86.9	81.19	16
500-203-0021	21	91.0	85.22	16
500-203-0022	22	95.0	89.24	16
500-203-0023	23	99.0	93.27	16
500-203-0024	24	103.0	97.29	16
500-203-0025	25	107.1	101.33	16


GG-Bestell-Nr.	Zz	D _K	D	D _L
500-203-0026	26	111.2	105.36	16
500-203-0027	27	115.4	109.40	16
500-203-0028	28	119.4	113.42	16
500-203-0029	29	123.4	117.46	16
500-203-0030	30	127.5	121.50	16
500-203-0031	31	130.2	125.54	20
500-203-0032	32	135.5	129.56	20
500-203-0033	33	139.6	133.60	20
500-203-0034	34	143.6	137.64	20
500-203-0035	35	147.6	141.68	20
500-203-0036	36	151.7	145.72	20
500-203-0037	37	155.7	149.76	20
500-203-0038	38	159.8	153.80	20
500-203-0039	39	163.8	157.83	20
500-203-0040	40	167.8	161.87	20
500-203-0041	41	171.4	165.91	25
500-203-0042	42	175.4	169.95	25
500-203-0043	43	179.7	173.99	25

Rollenkette DIN 8187

08 B-3	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen ø	8,51mm

Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Zahnbreite B3	34,9mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D_k	D	D_L
500-203-0044	44	183.5	178.03	25
500-203-0045	45	187.5	182.07	25
500-203-0046	46	191.6	186.10	25
500-203-0047	47	195.6	190.14	25
500-203-0048	48	199.7	194.18	25
500-203-0049	49	203.7	198.22	25
500-203-0050	50	207.8	202.26	25
500-203-0051	51	211.8	206.30	25
500-203-0052	52	215.9	210.34	25
500-203-0053	53	219.9	214.37	25
500-203-0054	54	224.0	218.43	25
500-203-0055	55	228.0	222.46	25
500-203-0056	56	232.1	226.50	25
500-203-0057	57	236.1	230.54	25
500-203-0058	58	240.2	234.58	25
500-203-0059	59	244.2	238.62	25
500-203-0060	60	248.2	242.66	25
500-203-0062	62	256.7	250.75	25


GG-Bestell-Nr.	Zz	D_k	D	D_L
500-203-0064	64	264.8	258.82	25
500-203-0065	65	268.8	262.86	25
500-203-0066	66	272.9	266.93	25
500-203-0068	68	280.9	274.99	25
500-203-0070	70	289.0	283.07	25
500-203-0072	72	297.1	291.16	25
500-203-0075	75	309.2	303.27	25
500-203-0076	76	313.3	307.33	25
500-203-0078	78	321.4	315.40	25
500-203-0080	80	329.4	323.48	25
500-203-0085	85	349.7	343.70	25
500-203-0090	90	369.9	363.90	25
500-203-0095	95	390.1	384.11	25

Rollenkette DIN 8187

08 B-3	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen \varnothing	8,51mm

Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Zahnbreite B3	34,9mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-303-0008	8	47.0	41.48	12
500-303-0009	9	52.6	46.42	12
500-303-0010	10	57.5	51.37	12
500-303-0011	11	63.0	56.34	12
500-303-0012	12	68.0	61.34	12
500-303-0013	13	73.0	66.32	12
500-303-0014	14	78.0	71.34	12
500-303-0015	15	83.0	76.36	12
500-303-0016	16	88.0	81.37	16
500-303-0017	17	93.0	86.39	16
500-303-0018	18	98.3	91.42	16
500-303-0019	19	103.3	96.45	16
500-303-0020	20	108.4	101.49	16
500-303-0021	21	113.4	106.52	16
500-303-0022	22	118.0	111.55	16
500-303-0023	23	123.4	116.58	16


GG-Bestell-Nr.	Zz	D _K	D	D _L
500-303-0024	24	128.3	121.62	16
500-303-0025	25	134.0	126.66	16
500-303-0026	26	139.0	131.70	20
500-303-0027	27	144.0	136.75	20
500-303-0028	28	148.7	141.78	20
500-303-0029	29	153.8	146.83	20
500-303-0030	30	158.8	151.87	20
500-303-0031	31	163.9	156.92	20
500-303-0032	32	168.9	161.95	20
500-303-0033	33	174.5	167.00	20
500-303-0034	34	179.0	172.05	20
500-303-0035	35	184.1	177.10	20
500-303-0036	36	189.1	182.15	25
500-303-0037	37	194.2	187.20	25
500-303-0038	38	199.2	192.24	25
500-303-0039	39	204.2	197.29	25

Rollenkette DIN 8187

10 B-3	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen ø	10,16mm

Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Zahnbreite B3	42,1mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D_k	D	D_L
500-303-0040	40	209.3	202.34	25
500-303-0041	41	214.8	207.39	25
500-303-0042	42	219.9	212.44	25
500-303-0043	43	224.9	217.49	25
500-303-0044	44	230.0	222.53	25
500-303-0045	45	235.0	227.58	25
500-303-0046	46	240.1	232.63	25
500-303-0047	47	245.1	237.68	25
500-303-0048	48	250.2	242.73	25
500-303-0049	49	255.2	247.78	25
500-303-0050	50	260.3	252.82	25
500-303-0051	51	265.3	257.87	25
500-303-0052	52	270.4	262.92	25
500-303-0053	53	275.4	267.97	25
500-303-0054	54	280.5	273.03	25
500-303-0055	55	285.5	278.08	25


GG-Bestell-Nr.	Zz	D_k	D	D_L
500-303-0056	56	290.6	283.13	25
500-303-0057	57	296.0	288.18	25
500-303-0058	58	300.7	293.23	25
500-303-0059	59	305.7	298.27	25
500-303-0060	60	310.8	303.32	25
500-303-0062	62	321.4	313.43	30
500-303-0065	65	336.5	328.58	30
500-303-0070	70	361.8	353.84	30
500-303-0075	75	387.1	379.09	30
500-303-0080	80	412.3	404.35	30
500-303-0085	85	437.6	429.62	30
500-303-0090	90	462.8	454.88	30
500-303-0095	95	488.5	480.14	30

Rollenkette DIN 8187

10 B-3	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen \varnothing	10,16mm

Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Zahnbreite B3	42,1mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-403-0008	8	57.6	49.78	12
500-403-0009	9	62.0	55.70	12
500-403-0010	10	69.0	61.64	12
500-403-0011	11	75.0	67.61	16
500-403-0012	12	81.5	73.60	16
500-403-0013	13	87.5	79.59	16
500-403-0014	14	93.6	85.61	16
500-403-0015	15	99.8	91.63	16
500-403-0016	16	105.5	97.65	16
500-403-0017	17	111.5	103.67	16
500-403-0018	18	118.0	109.71	16
500-403-0019	19	124.2	115.75	16
500-403-0020	20	129.7	121.78	16
500-403-0021	21	136.0	127.82	20
500-403-0022	22	141.8	133.86	20
500-403-0023	23	149.0	139.90	20


GG-Bestell-Nr.	Zz	D _K	D	D _L
500-403-0024	24	153.9	145.94	20
500-403-0025	25	160.0	152.00	20
500-403-0026	26	165.9	158.04	20
500-403-0027	27	172.3	164.09	20
500-403-0028	28	178.0	170.13	20
500-403-0029	29	184.1	176.19	20
500-403-0030	30	190.5	182.25	20
500-403-0031	31	196.3	188.31	25
500-403-0032	32	203.3	194.35	25
500-403-0033	33	209.3	200.40	25
500-403-0034	34	214.6	206.46	25
500-403-0035	35	221.0	212.52	25
500-403-0036	36	226.8	218.58	25
500-403-0037	37	232.9	224.64	25
500-403-0038	38	239.0	230.69	25
500-403-0039	39	245.1	236.75	25

Rollenkette DIN 8187

12 B-3	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Zahnbreite B3	49,8mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D_k	D	D_L
500-403-0040	40	251.3	242.81	25
500-403-0041	41	257.3	248.87	25
500-403-0042	42	264.5	254.93	25
500-403-0043	43	270.5	260.98	25
500-403-0044	44	276.5	267.03	25
500-403-0045	45	282.5	273.10	25
500-403-0046	46	287.9	279.16	25
500-403-0047	47	294.0	285.21	25
500-403-0048	48	300.1	291.27	25
500-403-0049	49	306.2	297.33	25
500-403-0050	50	312.3	303.39	25
500-403-0051	51	318.4	309.45	25
500-403-0052	52	324.5	315.50	25
500-403-0053	53	330.5	321.56	25
500-403-0054	54	336.6	327.64	25
500-403-0055	55	342.7	337.70	25


GG-Bestell-Nr.	Zz	D_k	D	D_L
500-403-0056	56	348.7	339.75	30
500-403-0057	57	355.4	345.81	30
500-403-0058	58	361.5	351.87	30
500-403-0059	59	367.5	357.93	30
500-403-0060	60	373.0	363.99	30
500-403-0062	62	385.1	376.12	30
500-403-0065	65	403.2	394.29	30
500-403-0070	70	433.6	424.60	30
500-403-0075	75	463.9	454.91	30
500-403-0080	80	494.2	485.22	30
500-403-0085	85	524.5	515.55	30
500-403-0090	90	554.8	545.86	30
500-403-0095	95	585.1	576.17	30

Rollenkette DIN 8187

12 B-3	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen \varnothing	12,07mm

Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Zahnbreite B3	49,8mm
Werkstoff:	C45



Kettenradscheiben - triplex

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-503-0008	8	77.0	66.37	20
500-503-0009	9	85.0	74.27	20
500-503-0010	10	93.0	82.19	20
500-503-0011	11	99.5	90.14	20
500-503-0012	12	109.0	98.14	20
500-503-0013	13	117.0	106.12	20
500-503-0014	14	125.0	114.15	20
500-503-0015	15	133.0	122.17	20
500-503-0016	16	141.0	130.20	30
500-503-0017	17	149.0	138.22	30
500-503-0018	18	157.0	146.28	30
500-503-0019	19	165.2	154.33	30
500-503-0020	20	173.2	162.38	30
500-503-0021	21	181.2	170.43	30
500-503-0022	22	189.3	178.48	30
500-503-0023	23	197.5	186.53	30
500-503-0024	24	205.5	194.59	30

GG-Bestell-Nr.	Zz	D _K	D	D _L
500-503-0025	25	213.5	202.66	30
500-503-0026	26	221.6	210.72	30
500-503-0027	27	229.6	218.79	30
500-503-0028	28	237.7	226.85	30
500-503-0029	29	245.8	234.92	30
500-503-0030	30	254.0	243.00	30
500-503-0031	31	262.0	251.08	30
500-503-0032	32	270.0	259.13	30
500-503-0033	33	278.5	267.21	30
500-503-0034	34	287.0	275.28	30
500-503-0035	35	296.2	283.36	30
500-503-0036	36	304.6	291.44	30
500-503-0037	37	312.6	299.51	30
500-503-0038	38	320.7	307.59	30
500-503-0039	39	328.8	315.67	30
500-503-0040	40	336.9	323.73	30

Rollenkette DIN 8187

16 B-3	Teilung	25,40mm
1" x 17,02mm	Innere Breite	17,02mm
25,40 x 17,02mm	Rollen ø	15,88mm

Kettenrad DIN 8196

Zahnbreite B1	16,2mm
Zahnbreite B3	79,6mm
Werkstoff:	C45