

Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _p	D _L
501-082-0008	8	24.0	20.90	18	12	8
501-082-0009	9	26.6	23.39	18	15	8
501-082-0010	10	29.2	25.89	18	17	8
501-082-0011	11	31.7	28.39	18	19	10
501-082-0012	12	34.2	30.91	18	21	10
501-082-0013	13	36.7	33.42	18	24	10
501-082-0014	14	39.2	35.95	18	26	10
501-082-0015	15	41.7	38.48	18	29	10
501-082-0016	16	44.3	41.01	20	32	10
501-082-0017	17	46.8	43.53	20	34	10
501-082-0018	18	49.3	46.07	20	37	10
501-082-0019	19	51.9	48.61	20	39	10
501-082-0020	20	54.4	51.14	20	40	10
501-082-0021	21	57.0	53.67	20	40	10
501-082-0022	22	59.5	56.21	20	40	10
501-082-0023	23	62.0	58.75	20	40	10
501-082-0024	24	64.6	61.29	20	40	10
501-082-0025	25	67.5	63.83	20	40	10

Rollenkette DIN 8187

05 B-2	Teilung	8,0mm
8,0 x 3,0mm	Innere Breite	3,0mm
	Rollen ø	5,0mm

Kettenrad DIN 8196

Zahnbreite B1	2,8mm
Zahnbreite B2	8,3mm
Werkstoff:	C45



Kettenräder - duplex

GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-082-0026	26	69.5	66.37	22	50	12
501-082-0027	27	72.2	68.91	22	50	12
501-082-0028	28	74.8	71.45	22	50	12
501-082-0029	29	77.3	73.99	22	50	12
501-082-0030	30	79.8	76.53	22	50	12
501-082-0031	31	82.4	79.08	22	60	12
501-082-0032	32	84.9	81.61	22	60	12
501-082-0033	33	87.5	84.16	22	60	12
501-082-0034	34	90.0	86.70	22	60	12
501-082-0035	35	92.5	89.24	22	60	12
501-082-0036	36	95.0	91.79	22	60	12
501-082-0037	37	97.6	94.33	22	60	12
501-082-0038	38	100.2	96.88	22	60	12
501-082-0039	39	102.7	99.42	22	60	12
501-082-0040	40	105.2	101.97	22	60	12


Rollenkette DIN 8187

05 B-2
8,0 x 3,0mm

Teilung 8,0mm
Innere Breite 3,0mm
Rollen ø 5,0mm

Kettenrad DIN 8196

Zahnbreite B1 2,8mm
Zahnbreite B2 8,3mm
Werkstoff: C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _p	D _L
501-102-0008	8	28.0	24.89	22	15	6
501-102-0009	9	31.0	27.85	22	18	8
501-102-0010	10	34.0	30.82	22	20	8
501-102-0011	11	37.0	33.80	25	22	10
501-102-0012	12	40.0	36.80	25	25	10
501-102-0013	13	43.0	39.80	25	28	10
501-102-0014	14	46.3	42.80	25	31	10
501-102-0015	15	49.3	45.81	25	34	10
501-102-0016	16	52.3	48.82	30	37	12
501-102-0017	17	55.3	51.83	30	40	12
501-102-0018	18	58.3	54.85	30	43	12
501-102-0019	19	61.3	57.87	30	46	12
501-102-0020	20	64.3	60.89	30	49	12
501-102-0021	21	68.0	63.91	30	52	12
501-102-0022	22	71.0	66.93	30	55	12
501-102-0023	23	73.5	69.95	30	58	12
501-102-0024	24	77.0	72.97	30	61	12
501-102-0025	25	80.0	76.00	30	64	12

Rollenkette DIN 8187

06 B-2	Teilung	9,525mm
3/8 x 7/32"	Innere Breite	5,72mm
9,525 x 5,72mm	Rollen ø	6,35mm

Kettenrad DIN 8196

Zahnbreite B1	5,3mm
Zahnbreite B2	15,4mm
Werkstoff:	C45



Kettenräder - duplex

GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-102-0026	26	83.0	79.02	30	67	12
501-102-0027	27	86.0	82.04	30	70	12
501-102-0028	28	89.0	85.07	30	73	12
501-102-0029	29	92.0	88.09	30	76	12
501-102-0030	30	94.7	91.12	30	79	12
501-102-0031	31	98.3	94.15	30	80	16
501-102-0032	32	101.3	97.17	30	80	16
501-102-0033	33	104.3	100.20	30	80	16
501-102-0034	34	107.3	103.23	30	80	16
501-102-0035	35	110.4	106.26	30	80	16
501-102-0036	36	113.4	109.29	30	90	16
501-102-0037	37	116.4	112.32	30	90	16
501-102-0038	38	119.5	115.34	30	90	16
501-102-0039	39	122.5	118.37	30	90	16
501-102-0040	40	125.5	121.40	30	90	16


Rollenkette DIN 8187

06 B-2
3/8 x 7/32"
9,525 x 5,72mm

Teilung 9,525mm
Innere Breite 5,72mm
Rollen ø 6,35mm

Kettenrad DIN 8196

Zahnbreite B1 5,3mm
Zahnbreite B2 15,4mm
Werkstoff: C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _p	D _L
501-202-0008	8	37.20	33.18	32	20	10
501-202-0009	9	41.50	37.13	32	24	10
501-202-0010	10	46.20	41.10	32	28	10
501-202-0011	11	49.60	45.07	35	32	12
501-202-0012	12	53.90	49.07	35	35	12
501-202-0013	13	58.40	53.06	35	38	12
501-202-0014	14	62.80	57.07	35	42	12
501-202-0015	15	66.80	61.09	35	46	12
501-202-0016	16	70.90	65.10	35	50	14
501-202-0017	17	74.90	69.11	35	54	14
501-202-0018	18	78.90	73.14	35	58	14
501-202-0019	19	82.90	77.16	35	62	14
501-202-0020	20	86.90	81.19	35	66	14
501-202-0021	21	91.00	85.22	40	70	16
501-202-0022	22	95.00	89.24	40	70	16
501-202-0023	23	99.00	93.27	40	70	16
501-202-0024	24	103.00	97.29	40	75	16
501-202-0025	25	107.10	101.33	40	80	16

Rollenkette DIN 8187

08 B-2	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen ø	8,51mm

Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Zahnbreite B2	21,0mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-202-0026	26	111.20	105.36	40	85	20
501-202-0027	27	115.40	109.40	40	85	20
501-202-0028	28	119.40	113.42	40	90	20
501-202-0029	29	123.40	117.46	40	95	20
501-202-0030	30	127.50	121.50	40	100	20
501-202-0031	31	131.50	125.54	40	100	20
501-202-0032	32	135.50	129.56	40	100	20
501-202-0033	33	139.60	133.60	40	100	20
501-202-0034	34	143.60	137.64	40	100	20
501-202-0035	35	147.60	141.68	40	100	20
501-202-0036	36	151.70	145.72	40	110	20
501-202-0037	37	155.70	149.76	40	110	20
501-202-0038	38	159.80	153.80	40	110	20
501-202-0039	39	163.80	157.83	40	110	20
501-202-0040	40	167.80	161.87	40	110	20

Rollenkette DIN 8187

08 B-2	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen ø	8,51mm

Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Zahnbreite B2	21,0mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N ₀	D _L
501-302-0008	8	47.0	41.48	40	25	12
501-302-0009	9	52.6	46.42	40	30	12
501-302-0010	10	57.5	51.37	40	35	12
501-302-0011	11	63.0	56.34	40	39	14
501-302-0012	12	68.0	61.34	40	44	14
501-302-0013	13	73.0	66.32	40	49	14
501-302-0014	14	78.0	71.34	40	54	14
501-302-0015	15	83.0	76.36	40	59	14
501-302-0016	16	88.0	81.37	45	64	16
501-302-0017	17	93.0	86.39	45	69	16
501-302-0018	18	98.3	91.42	45	74	16
501-302-0019	19	103.3	96.45	45	79	16
501-302-0020	20	108.4	101.49	45	84	16
501-302-0021	21	113.4	106.52	45	85	16
501-302-0022	22	118.0	111.55	45	90	16
501-302-0023	23	123.4	116.58	45	95	16
501-302-0024	24	128.3	121.62	45	100	16
501-302-0025	25	134.0	126.66	45	105	16

Rollenkette DIN 8187

10 B-2	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen ø	10,16mm

Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Zahnbreite B2	25,5mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-302-0026	26	139.0	131.70	45	110	20
501-302-0027	27	144.0	136.75	45	110	20
501-302-0028	28	148.7	141.78	45	115	20
501-302-0029	29	153.8	146.83	45	115	20
501-302-0030	30	158.8	151.87	45	120	20
501-302-0031	31	163.9	156.92	45	120	20
501-302-0032	32	168.9	161.95	45	120	20
501-302-0033	33	174.5	167.00	45	120	20
501-302-0034	34	179.0	172.05	45	120	20
501-302-0035	35	184.1	177.10	45	120	20
501-302-0036	36	189.1	182.15	45	120	20
501-302-0037	37	194.2	187.20	45	120	20
501-302-0038	38	199.2	192.24	45	120	20
501-302-0039	39	204.2	197.29	45	120	20
501-302-0040	40	209.3	202.34	45	120	20

Rollenkette DIN 8187

10 B-2	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen ø	10,16mm

Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Zahnbreite B2	25,5mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N ₀	D _L
501-402-0008	8	57.6	49.78	45	31	12
501-402-0009	9	62.0	55.70	45	37	12
501-402-0010	10	69.0	61.64	45	42	12
501-402-0011	11	75.0	67.61	50	47	16
501-402-0012	12	81.5	73.60	50	53	16
501-402-0013	13	87.5	79.59	50	59	16
501-402-0014	14	93.6	85.61	50	65	16
501-402-0015	15	99.8	91.63	50	71	16
501-402-0016	16	105.5	97.65	50	77	20
501-402-0017	17	111.5	103.67	50	83	20
501-402-0018	18	118.0	109.71	50	89	20
501-402-0019	19	124.2	115.75	50	95	20
501-402-0020	20	129.7	121.78	50	100	20
501-402-0021	21	136.0	127.82	50	100	20
501-402-0022	22	141.8	133.86	50	100	20
501-402-0023	23	149.0	139.90	50	110	20
501-402-0024	24	153.9	145.94	50	110	20
501-402-0025	25	160.0	152.00	50	120	20

Rollenkette DIN 8187

12 B-2	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Zahnbreite B2	30,3mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-402-0026	26	165.9	158.04	50	120	20
501-402-0027	27	172.3	164.09	50	120	20
501-402-0028	28	178.0	170.13	50	120	20
501-402-0029	29	184.1	176.19	50	120	20
501-402-0030	30	190.5	182.25	50	120	20
501-402-0031	31	196.3	188.31	50	130	20
501-402-0032	32	203.3	194.35	50	130	20
501-402-0033	33	209.3	200.40	50	130	20
501-402-0034	34	214.6	206.46	50	130	20
501-402-0035	35	221.0	212.52	50	130	20
501-402-0036	36	226.8	218.58	50	130	25
501-402-0037	37	232.9	224.64	50	130	25
501-402-0038	38	239.0	230.69	50	130	25
501-402-0039	39	245.1	236.75	50	130	25
501-402-0040	40	251.3	242.81	50	130	25

Rollenkette DIN 8187

12 B-2	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Zahnbreite B2	30,3mm
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N ₀	D _L
501-502-0008	8	77.0	66.37	65	42	16
501-502-0009	9	85.0	74.27	65	50	16
501-502-0010	10	93.0	82.19	65	56	16
501-502-0011	11	99.5	90.14	70	64	20
501-502-0012	12	109.0	98.14	70	72	20
501-502-0013	13	117.0	106.12	70	80	20
501-502-0014	14	125.0	114.15	70	88	20
501-502-0015	15	133.0	122.17	70	96	20
501-502-0016	16	141.0	130.20	70	104	20
501-502-0017	17	149.0	138.22	70	112	20
501-502-0018	18	157.0	146.28	70	120	20
501-502-0019	19	165.2	154.33	70	128	20
501-502-0020	20	173.2	162.38	70	130	20
501-502-0021	21	181.2	170.43	70	130	25
501-502-0022	22	189.3	178.48	70	130	25
501-502-0023	23	197.5	186.53	70	130	25
501-502-0024	24	205.5	194.59	70	130	25
501-502-0025	25	213.5	202.66	70	130	25

Rollenkette DIN 8187

16 B-2	Teilung	25,40mm
1" x 17,02mm	Innere Breite	17,02mm
25,4 x 17,02mm	Rollen ø	15,88mm

Kettenrad DIN 8196

Zahnbreite B1	16,2mm
Zahnbreite B2	47,7mm
ab Zähnezahl 21 mit geschweißter Nabe	
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-502-0026	26	221.6	210.72	70	130	25
501-502-0027	27	229.6	218.79	70	130	25
501-502-0028	28	237.7	226.85	70	130	25
501-502-0029	29	245.8	234.92	70	130	25
501-502-0030	30	254.0	243.00	70	130	25
501-502-0031	31	262.0	251.08	70	140	25
501-502-0032	32	270.0	259.13	70	140	25
501-502-0033	33	278.5	267.21	70	140	25
501-502-0034	34	287.0	275.28	70	140	25
501-502-0035	35	296.2	283.36	70	140	25
501-502-0036	36	304.6	291.44	70	140	25
501-502-0037	37	312.6	299.51	70	140	25
501-502-0038	38	320.7	307.59	70	140	25
501-502-0039	39	328.8	315.67	70	140	25
501-502-0040	40	336.9	323.73	70	140	25

Rollenkette DIN 8187

16 B-2	Teilung	25,40mm
1" x 17,02mm	Innere Breite	17,02mm
25,4 x 17,02mm	Rollen ø	15,88mm

Kettenrad DIN 8196

Zahnbreite B1	16,2mm
Zahnbreite B2	47,7mm
ab Zähnezahl 21 mit geschweißter Nabe	
Werkstoff:	C45



Kettenräder - duplex


GG-Bestell-Nr.	Zz	D _K	D	L	N ₀	D _L
501-602-0008	8	98.1	82.96	75	53	20
501-602-0009	9	108.0	92.84	75	63	20
501-602-0010	10	117.9	102.74	75	70	20
501-602-0011	11	127.8	112.68	80	80	20
501-602-0012	12	137.8	122.68	80	90	20
501-602-0013	13	147.8	132.65	80	100	20
501-602-0014	14	157.8	142.68	80	110	20
501-602-0015	15	167.9	152.72	80	120	20
501-602-0016	16	177.9	162.75	80	120	25
501-602-0017	17	187.9	172.78	80	120	25
501-602-0018	18	198.0	182.85	80	120	25
501-602-0019	19	208.1	192.91	80	120	25
501-602-0020	20	218.1	202.98	80	120	25
501-602-0021	21	228.2	213.04	80	140	25
501-602-0022	22	238.3	223.11	80	140	25
501-602-0023	23	248.3	233.17	80	140	25
501-602-0024	24	258.4	243.23	80	140	25
501-602-0025	25	268.5	253.33	80	140	25

Rollenkette DIN 8187

20 B-2	Teilung	31,75mm
1 1/4" x 3/4"	Innere Breite	19,56mm
31,75 x 19,56mm	Rollen ø	19,05mm

Kettenrad DIN 8196

Zahnbreite B1	18,5mm
Zahnbreite B2	54,6mm
ab Zähnezahl 18 mit geschweißter Nabe	
Werkstoff:	C45



Kettenräder - duplex

GG-Bestell-Nr.	Zz	D _K	D	L	N _b	D _L
501-602-0026	26	278.6	263.40	80	150	25
501-602-0027	27	288.6	273.48	80	150	25
501-602-0028	28	298.7	283.56	80	150	25
501-602-0029	29	308.8	293.65	80	150	25
501-602-0030	30	318.9	303.75	80	150	25
501-602-0031	31	329.0	313.85	80	150	25
501-602-0032	32	339.1	323.91	80	150	25
501-602-0033	33	349.2	334.01	80	150	25
501-602-0034	34	359.3	344.10	80	150	25
501-602-0035	35	369.4	354.20	80	150	25
501-602-0036	36	379.5	364.30	80	150	30
501-602-0037	37	389.5	374.39	80	150	30
501-602-0038	38	399.6	384.49	80	150	30
501-602-0039	39	409.7	394.59	80	150	30
501-602-0040	40	419.8	404.66	80	150	30

Rollenkette DIN 8187

20 B-2	Teilung	31,75mm
1 1/4" x 3/4"	Innere Breite	19,56mm
31,75 x 19,56mm	Rollen ø	19,05mm

Kettenrad DIN 8196

Zahnbreite B1	18,5mm
Zahnbreite B2	54,6mm
ab Zähnezahl 18 mit geschweißter Nabe	
Werkstoff:	C45