

## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-061-0008	8	18.0	15.67	10	9.8	5
501-061-0009	9	19.9	17.54	10	11.5	5
501-061-0010	10	21.7	19.42	10	13	6
501-061-0011	11	23.6	21.30	10	14	6
501-061-0012	12	25.4	23.18	10	16	6
501-061-0013	13	27.3	25.05	10	18	8
501-061-0014	14	29.2	26.96	10	20	8
501-061-0015	15	31.1	28.86	10	20	8
501-061-0016	16	33.0	30.76	13	20	8
501-061-0017	17	35.0	32.65	13	20	8
501-061-0018	18	36.9	34.55	13	20	8
501-061-0019	19	38.8	36.44	13	20	8
501-061-0020	20	40.7	38.34	13	20	8
501-061-0021	21	42.6	40.25	13	25	8
501-061-0022	22	44.5	42.16	13	25	8
501-061-0023	23	46.4	44.06	13	25	8
501-061-0024	24	48.3	45.96	13	25	8
501-061-0025	25	50.2	47.87	13	25	8

### Rollenkette DIN 8187

04 B-1	Teilung	6,0mm
6,0 x 2,8mm	Innere Breite	2,8mm
	Rollen ø	4,0mm

### Kettenrad DIN 8196

Zahnbreite B1	2,6mm
Werkstoff:	C45



## Kettenräder - simplex

GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>p</sub>	D <sub>L</sub>
501-061-0026	26	52.1	49.77	15	30	8
501-061-0027	27	54.0	51.67	15	30	8
501-061-0028	28	55.9	53.58	15	30	8
501-061-0029	29	57.8	55.50	15	30	8
501-061-0030	30	59.8	57.42	15	30	8
501-061-0031	31	61.7	59.31	15	30	8
501-061-0032	32	63.6	61.21	15	30	8
501-061-0033	33	65.5	63.11	15	30	8
501-061-0034	34	67.4	65.02	15	30	8
501-061-0035	35	69.3	66.93	15	30	8
501-061-0036	36	71.2	68.84	15	30	8
501-061-0037	37	73.1	70.75	15	30	8
501-061-0038	38	75.0	72.66	15	30	8
501-061-0039	39	76.9	74.56	15	30	8
501-061-0040	40	78.9	76.47	15	30	8


### Rollenkette DIN 8187

04 B-1  
6,0 x 2,8mm

Teilung 6,0mm  
Innere Breite 2,8mm  
Rollen ø 4,0mm

### Kettenrad DIN 8196

Zahnbreite B1 2,6mm  
Werkstoff: C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-081-0008	8	24.0	20.90	12	13	6
501-081-0009	9	26.6	23.39	12	15	6
501-081-0010	10	29.2	25.89	12	17	8
501-081-0011	11	31.7	28.39	13	18	8
501-081-0012	12	34.2	30.91	13	20	8
501-081-0013	13	36.7	33.42	13	23	8
501-081-0014	14	39.2	35.95	13	25	8
501-081-0015	15	41.7	38.48	13	28	8
501-081-0016	16	44.3	41.01	14	30	8
501-081-0017	17	46.8	43.53	14	30	8
501-081-0018	18	49.3	46.07	14	30	8
501-081-0019	19	51.9	48.61	14	30	8
501-081-0020	20	54.4	51.14	14	30	8
501-081-0021	21	57.0	53.67	14	35	8
501-081-0022	22	59.5	56.21	14	35	8
501-081-0023	23	62.0	58.75	14	35	8
501-081-0024	24	64.6	61.29	14	35	8
501-081-0025	25	67.5	63.83	14	35	8

### Rollenkette DIN 8187

05 B-1	Teilung	8,0mm
8,0 x 3,0mm	Innere Breite	3,0mm
	Rollen ø	5,0mm

### Kettenrad DIN 8196

Zahnbreite B1	2,8mm
Werkstoff:	C45



## Kettenräder - simplex

GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>p</sub>	D <sub>L</sub>
501-081-0026	26	69.5	66.37	16	40	10
501-081-0027	27	72.2	68.91	16	40	10
501-081-0028	28	74.8	71.45	16	40	10
501-081-0029	29	77.3	73.99	16	40	10
501-081-0030	30	79.8	76.53	16	40	10
501-081-0031	31	82.4	79.08	16	40	10
501-081-0032	32	84.9	81.61	16	40	10
501-081-0033	33	87.5	84.16	16	40	10
501-081-0034	34	90.0	86.70	16	40	10
501-081-0035	35	92.5	89.24	16	40	10
501-081-0036	36	95.0	91.79	16	40	10
501-081-0037	37	97.6	94.33	16	40	10
501-081-0038	38	100.2	96.88	16	40	10
501-081-0039	39	102.7	99.42	16	40	10
501-081-0040	40	105.2	101.97	16	40	10


### Rollenkette DIN 8187

05 B-1  
8,0 x 3,0mm

Teilung 8,0mm  
Innere Breite 3,0mm  
Rollen ø 5,0mm

### Kettenrad DIN 8196

Zahnbreite B1 2,8mm  
Werkstoff: C45



## Kettenräder - simplex

GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-101-0008	8	28.0	24.89	22	15	8
501-101-0009	9	31.0	27.85	22	18	8
501-101-0010	10	34.0	30.82	22	20	8
501-101-0011	11	37.0	33.80	25	22	8
501-101-0012	12	40.0	36.80	25	25	8
501-101-0013	13	43.0	39.80	25	28	10
501-101-0014	14	46.3	42.80	25	31	10
501-101-0015	15	49.3	45.81	25	34	10
501-101-0016	16	52.3	48.82	28	37	10
501-101-0017	17	55.3	51.83	28	40	10
501-101-0018	18	58.3	54.85	28	43	10
501-101-0019	19	61.3	57.87	28	45	10
501-101-0020	20	64.3	60.89	28	46	10
501-101-0021	21	68.0	63.91	28	48	12
501-101-0022	22	71.0	66.93	28	50	12
501-101-0023	23	73.5	69.95	28	52	12
501-101-0024	24	77.0	72.97	28	54	12


### Rollenkette DIN 8187

06 B-1  
3/8 x 7/32"  
9,525 x 5,72mm

Teilung 9,525mm  
Innere Breite 5,72mm  
Rollen ø 6,35mm

### Kettenrad DIN 8196

Zahnbreite B1 5,3mm  
Werkstoff: C45



## Kettenräder - simplex

GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-101-0025	25	80.0	76.00	28	57	12
501-101-0026	26	83.0	79.02	28	60	12
501-101-0027	27	86.0	82.04	28	60	12
501-101-0028	28	89.0	85.07	28	60	12
501-101-0029	29	92.0	88.09	28	60	12
501-101-0030	30	94.7	91.12	28	60	12
501-101-0031	31	98.3	94.15	30	65	14
501-101-0032	32	101.3	97.17	30	65	14
501-101-0033	33	104.3	100.20	30	65	14
501-101-0034	34	107.3	103.23	30	65	14
501-101-0035	35	110.4	106.26	30	65	14
501-101-0036	36	113.4	109.29	30	70	16
501-101-0037	37	116.4	112.32	30	70	16
501-101-0038	38	119.5	115.34	30	70	16
501-101-0039	39	122.5	118.37	30	70	16
501-101-0040	40	125.5	121.40	30	70	16


### Rollenkette DIN 8187

06 B-1  
3/8 x 7/32"  
9,525 x 5,72mm

Teilung 9,525mm  
Innere Breite 5,72mm  
Rollen ø 6,35mm

### Kettenrad DIN 8196

Zahnbreite B1 5,3mm  
Werkstoff: C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-211-0008	8	37.2	33.18	14	21	8
501-211-0009	9	41.5	37.13	14	25	8
501-211-0010	10	46.2	41.10	14	28	8
501-211-0011	11	49.6	45.07	16	31	8
501-211-0012	12	53.9	49.07	16	35	8
501-211-0013	13	58.4	53.06	16	39	8
501-211-0014	14	62.8	57.07	16	43	8
501-211-0015	15	66.8	61.09	16	47	8
501-211-0016	16	70.9	65.10	18	50	10
501-211-0017	17	74.9	69.11	18	50	10
501-211-0018	18	78.9	73.14	18	50	10
501-211-0019	19	82.9	77.16	18	50	10
501-211-0020	20	86.9	81.19	18	50	10
501-211-0021	21	91.0	85.22	20	60	12
501-211-0022	22	95.0	89.24	20	60	12
501-211-0023	23	99.0	93.27	20	60	12
501-211-0024	24	103.0	97.29	20	60	12
501-211-0025	25	107.1	101.33	20	60	12

### Rollenkette DIN 8187

081-1	Teilung	12,7mm
1/2" x 1/8"	Innere Breite	3,3mm
12,7 x 3,3mm	Rollen ø	7,75mm

### Kettenrad DIN 8196

Zahnbreite B1	3,0mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-211-0026	26	111.2	105.36	20	70	16
501-211-0027	27	115.4	109.40	20	70	16
501-211-0028	28	119.4	113.42	20	70	16
501-211-0029	29	123.4	117.46	20	70	16
501-211-0030	30	127.5	121.50	20	70	16
501-211-0031	31	131.5	125.54	20	70	16
501-211-0032	32	135.5	129.56	20	70	16
501-211-0033	33	139.6	133.60	20	70	16
501-211-0034	34	143.6	137.64	20	70	16
501-211-0035	35	147.6	141.68	20	70	16
501-211-0036	36	151.7	145.72	25	70	16
501-211-0037	37	155.7	149.76	25	70	16
501-211-0038	38	159.8	153.80	25	70	16
501-211-0039	39	163.8	157.83	25	70	16
501-211-0040	40	167.8	161.87	25	70	16

### Rollenkette DIN 8187

081-1	Teilung	12,7mm
1/2" x 1/8"	Innere Breite	3,3mm
12,7 x 3,3mm	Rollen ø	7,75mm

### Kettenrad DIN 8196

Zahnbreite B1	3,0mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr	Zz	D <sub>k</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-231-0008	8	37.2	33.18	14	21	8
501-231-0009	9	41.5	37.13	14	25	8
501-231-0010	10	46.2	41.10	14	28	8
501-231-0011	11	49.6	45.07	16	31	8
501-231-0012	12	53.9	49.07	16	35	8
501-231-0013	13	58.4	53.06	16	39	8
501-231-0014	14	62.8	57.07	16	43	8
501-231-0015	15	66.8	61.09	16	47	8
501-231-0016	16	70.9	65.10	18	50	10
501-231-0017	17	74.9	69.11	18	50	10
501-231-0018	18	78.9	73.14	18	50	10
501-231-0019	19	82.9	77.16	18	50	10
501-231-0020	20	86.9	81.19	18	50	10
501-231-0021	21	91.0	85.22	20	60	12
501-231-0022	22	95.0	89.24	20	60	12
501-231-0023	23	99.0	93.27	20	60	12
501-231-0024	24	103.0	97.29	20	60	12
501-231-0025	25	107.1	101.33	20	60	12

### Rollenkette DIN 8187

083-1	Teilung	12,7mm
1/2" x 3/16"	Innere Breite	4,88mm
12,7 x 4,88mm	Rollen ø	7,75mm

### Kettenrad DIN 8196

Zahnbreite B1	4,5mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-231-0026	26	111.2	105.36	20	70	16
501-231-0027	27	115.4	109.40	20	70	16
501-231-0028	28	119.4	113.42	20	70	16
501-231-0029	29	123.4	117.46	20	70	16
501-231-0030	30	127.5	121.50	20	70	16
501-231-0031	31	131.5	125.54	20	70	16
501-231-0032	32	135.5	129.56	20	70	16
501-231-0033	33	139.6	133.60	20	70	16
501-231-0034	34	143.6	137.64	20	70	16
501-231-0035	35	147.6	141.68	20	70	16
501-231-0036	36	151.7	145.72	25	70	16
501-231-0037	37	155.7	149.76	25	70	16
501-231-0038	38	159.8	153.80	25	70	16
501-231-0039	39	163.8	157.83	25	70	16
501-231-0040	40	167.8	161.87	25	70	16

### Rollenkette DIN 8187

083-1	Teilung	12,7mm
1/2" x 3/16"	Innere Breite	4,88mm
12,7 x 4,88mm	Rollen ø	7,75mm

### Kettenrad DIN 8196

Zahnbreite B1	4,5mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	Dk	D	L	ND	DL
501-201-0008	8	37.2	33.18	25	20	10
501-201-0009	9	41.5	37.13	25	24	10
501-201-0010	10	46.2	41.10	25	26	10
501-201-0011	11	49.6	45.07	25	29	10
501-201-0012	12	53.9	49.07	28	33	10
501-201-0013	13	58.4	53.06	28	37	10
501-201-0014	14	62.8	57.07	28	41	10
501-201-0015	15	66.8	61.09	28	45	10
501-201-0016	16	70.9	65.10	28	50	12
501-201-0017	17	74.9	69.11	28	52	12
501-201-0018	18	78.9	73.14	28	56	12
501-201-0019	19	82.9	77.16	28	60	12
501-201-0020	20	86.9	81.19	28	64	12
501-201-0021	21	91.0	85.22	28	68	12
501-201-0022	22	95.0	89.24	28	70	12
501-201-0023	23	99.0	93.27	28	70	14
501-201-0024	24	103.0	97.29	28	70	14
501-201-0025	25	107.1	101.33	28	70	14

### Rollenkette DIN 8187

08 B-1	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen ø	8,51mm

### Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-201-0026	26	111.2	105.36	30	70	16
501-201-0027	27	115.4	109.40	30	70	16
501-201-0028	28	119.4	113.42	30	70	16
501-201-0029	29	123.4	117.46	30	80	16
501-201-0030	30	127.5	121.50	30	80	16
501-201-0031	31	131.5	125.54	30	90	16
501-201-0032	32	135.5	129.56	30	90	16
501-201-0033	33	139.6	133.60	30	90	16
501-201-0034	34	143.6	137.64	30	90	16
501-201-0035	35	147.6	141.68	30	90	16
501-201-0036	36	151.7	145.72	35	90	16
501-201-0037	37	155.7	149.76	35	90	16
501-201-0038	38	159.8	153.80	35	90	16
501-201-0039	39	163.8	157.83	35	90	16
501-201-0040	40	167.8	161.87	35	90	16

### Rollenkette DIN 8187

08 B-1	Teilung	12,7mm
1/2 x 5/16"	Innere Breite	7,75mm
12,7 x 7,75mm	Rollen ø	8,51mm

### Kettenrad DIN 8196

Zahnbreite B1	7,2mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-301-0008	8	47.0	41.48	25	25	10
501-301-0009	9	52.6	46.42	25	30	10
501-301-0010	10	57.5	51.37	25	35	10
501-301-0011	11	63.0	56.34	30	37	12
501-301-0012	12	68.0	61.34	30	42	12
501-301-0013	13	73.0	66.32	30	47	12
501-301-0014	14	78.0	71.34	30	52	12
501-301-0015	15	83.0	76.36	30	57	12
501-301-0016	16	88.0	81.37	30	60	12
501-301-0017	17	93.0	86.39	30	60	12
501-301-0018	18	98.3	91.42	30	70	14
501-301-0019	19	103.3	96.45	30	70	14
501-301-0020	20	108.4	101.49	30	75	14
501-301-0021	21	113.4	106.52	30	75	16
501-301-0022	22	118.0	111.55	30	80	16
501-301-0023	23	123.4	116.58	30	80	16
501-301-0024	24	128.3	121.62	30	80	16
501-301-0025	25	134.0	126.66	30	80	16

### Rollenkette DIN 8187

10 B-1	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen ø	10,16mm

### Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-301-0026	26	139.0	131.70	35	85	20
501-301-0027	27	144.0	136.75	35	85	20
501-301-0028	28	148.7	141.78	35	90	20
501-301-0029	29	153.8	146.83	35	90	20
501-301-0030	30	158.8	151.87	35	90	20
501-301-0031	31	163.9	156.92	35	95	20
501-301-0032	32	168.9	161.95	35	95	20
501-301-0033	33	174.5	167.00	35	95	20
501-301-0034	34	179.0	172.05	35	95	20
501-301-0035	35	184.1	177.10	35	95	20
501-301-0036	36	189.1	182.15	35	100	20
501-301-0037	37	194.2	187.20	35	100	20
501-301-0038	38	199.2	192.24	35	100	20
501-301-0039	39	204.2	197.29	35	100	20
501-301-0040	40	209.3	202.34	35	100	20

### Rollenkette DIN 8187

10 B-1	Teilung	15,875mm
5/8 x 3/8"	Innere Breite	9,65mm
15,875 x 9,65mm	Rollen ø	10,16mm

### Kettenrad DIN 8196

Zahnbreite B1	9,1mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-401-0008	8	57.6	49.78	30	31	12
501-401-0009	9	62.0	55.70	30	37	12
501-401-0010	10	69.0	61.64	30	42	12
501-401-0011	11	75.0	67.61	35	46	14
501-401-0012	12	81.5	73.60	35	52	14
501-401-0013	13	87.5	79.59	35	58	14
501-401-0014	14	93.6	85.61	35	64	14
501-401-0015	15	99.8	91.63	35	70	14
501-401-0016	16	105.5	97.65	35	75	16
501-401-0017	17	111.5	103.67	35	80	16
501-401-0018	18	118.0	109.71	35	80	16
501-401-0019	19	124.2	115.75	35	80	16
501-401-0020	20	129.7	121.78	35	80	16
501-401-0021	21	136.0	127.82	40	90	20
501-401-0022	22	141.8	133.86	40	90	20
501-401-0023	23	149.0	139.90	40	90	20
501-401-0024	24	153.9	145.94	40	90	20
501-401-0025	25	160.0	152.00	40	90	20

### Rollenkette DIN 8187

12 B-1	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

### Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-401-0026	26	165.9	158.04	40	95	20
501-401-0027	27	172.3	164.09	40	95	20
501-401-0028	28	178.0	170.13	40	95	20
501-401-0029	29	184.1	176.19	40	95	20
501-401-0030	30	190.5	182.25	40	95	20
501-401-0031	31	196.3	188.31	40	100	20
501-401-0032	32	203.3	194.35	40	100	20
501-401-0033	33	209.3	200.40	40	100	20
501-401-0034	34	214.6	206.46	40	100	20
501-401-0035	35	221.0	212.52	40	100	20
501-401-0036	36	226.8	218.58	40	100	20
501-401-0037	37	232.9	224.64	40	100	20
501-401-0038	38	239.0	230.69	40	100	20
501-401-0039	39	245.1	236.75	40	100	20
501-401-0040	40	251.3	242.81	40	100	20

### Rollenkette DIN 8187

12 B-1	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

### Kettenrad DIN 8196

Zahnbreite B1	11,1mm
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-501-0008	8	77.0	66.37	35	42	16
501-501-0009	9	85.0	74.27	35	50	16
501-501-0010	10	93.0	82.19	35	55	16
501-501-0011	11	99.5	90.14	40	61	16
501-501-0012	12	109.0	98.14	40	69	16
501-501-0013	13	117.0	106.12	40	78	16
501-501-0014	14	125.0	114.15	40	84	16
501-501-0015	15	133.0	122.17	40	92	16
501-501-0016	16	141.0	130.20	45	100	20
501-501-0017	17	149.0	138.22	45	100	20
501-501-0018	18	157.0	146.28	45	100	20
501-501-0019	19	165.2	154.33	45	100	20
501-501-0020	20	173.2	162.38	45	100	20
501-501-0021	21	181.2	170.43	50	110	20
501-501-0022	22	189.3	178.48	50	110	20
501-501-0023	23	197.5	186.53	50	110	20
501-501-0024	24	205.5	194.59	50	110	20
501-501-0025	25	213.5	202.66	50	110	20

### Rollenkette DIN 8187

16 B-1	Teilung	25,40mm
1" x 17,02mm	Innere Breite	17,02mm
25,4 x 17,02mm	Rollen ø	15,88mm

### Kettenrad DIN 8196

Zahnbreite B1	16,2mm
ab Zähnezahl 31 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-501-0026	26	221.6	210.72	50	120	20
501-501-0027	27	229.6	218.79	50	120	20
501-501-0028	28	237.7	226.85	50	120	20
501-501-0029	29	245.8	234.92	50	120	20
501-501-0030	30	254.0	243.00	50	120	20
501-501-0031	31	262.0	251.08	50	120	25
501-501-0032	32	270.0	259.13	50	120	25
501-501-0033	33	278.5	267.21	50	120	25
501-501-0034	34	287.0	275.28	50	120	25
501-501-0035	35	296.2	283.36	50	120	25
501-501-0036	36	304.6	291.44	50	120	25
501-501-0037	37	312.6	299.51	50	120	25
501-501-0038	38	320.7	307.59	50	120	25
501-501-0039	39	328.8	315.67	50	120	25
501-501-0040	40	336.9	323.73	50	120	25

### Rollenkette DIN 8187

16 B-1	Teilung	25,40mm
1" x 17,02mm	Innere Breite	17,02mm
25,4 x 17,02mm	Rollen ø	15,88mm

### Kettenrad DIN 8196

Zahnbreite B1	16,2mm
ab Zähnezahl 31 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-601-0008	8	98.1	82.96	40	53	20
501-601-0009	9	108.0	92.84	40	63	20
501-601-0010	10	117.9	102.74	40	70	20
501-601-0011	11	127.8	112.68	45	77	20
501-601-0012	12	137.8	122.68	45	88	20
501-601-0013	13	147.8	132.65	45	98	20
501-601-0014	14	157.8	142.68	45	108	20
501-601-0015	15	167.9	152.72	45	118	20
501-601-0016	16	177.9	162.75	50	120	25
501-601-0017	17	187.9	172.78	50	120	25
501-601-0018	18	198.0	182.85	50	120	25
501-601-0019	19	208.1	192.91	50	120	25
501-601-0020	20	218.1	202.98	50	120	25
501-601-0021	21	228.2	213.04	55	140	25
501-601-0022	22	238.3	223.11	55	140	25
501-601-0023	23	248.3	233.17	55	140	25
501-601-0024	24	258.4	243.23	55	140	25
501-601-0025	25	268.5	253.33	55	140	25

### Rollenkette DIN 8187

20 B-1	Teilung	31,75mm
1 1/4" x 3/4"	Innere Breite	19,56mm
31,75 x 19,56mm	Rollen ø	19,05mm

### Kettenrad DIN 8196

Zahnbreite B1	18,5mm
ab Zähnezahl 26 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-601-0026	26	278.6	263.40	55	150	25
501-601-0027	27	288.6	273.48	55	150	25
501-601-0028	28	298.7	283.56	55	150	25
501-601-0029	29	308.8	293.65	55	150	25
501-601-0030	30	318.9	303.75	55	150	25
501-601-0031	31	329.0	313.85	55	150	25
501-601-0032	32	339.1	323.91	55	150	25
501-601-0033	33	349.2	334.01	55	150	25
501-601-0034	34	359.3	344.10	55	150	25
501-601-0035	35	369.4	354.20	55	150	25
501-601-0036	36	379.5	364.30	55	150	25
501-601-0037	37	389.5	374.39	55	150	25
501-601-0038	38	399.6	384.49	55	150	25
501-601-0039	39	409.7	394.59	55	150	25
501-601-0040	40	419.8	404.66	55	150	25

### Rollenkette DIN 8187

20 B-1	Teilung	31,75mm
1 1/4" x 3/4"	Innere Breite	19,56mm
31,75 x 19,56mm	Rollen ø	19,05mm

### Kettenrad DIN 8196

Zahnbreite B1	18,5mm
ab Zähnezahl 26 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr	Zz	D <sub>k</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-701-0008	8	115.0	99.55	45	58	20
501-701-0009	9	126.4	111.40	45	70	20
501-701-0010	10	138.0	123.29	45	80	20
501-701-0011	11	150.0	135.21	50	90	25
501-701-0012	12	162.0	147.22	50	102	25
501-701-0013	13	174.2	159.18	50	114	25
501-701-0014	14	186.2	171.22	50	128	25
501-701-0015	15	198.2	183.26	50	140	25
501-701-0016	16	210.3	195.30	55	140	25
501-701-0017	17	222.3	207.34	55	140	25
501-701-0018	18	234.3	219.42	55	140	25
501-701-0019	19	246.5	231.49	55	140	25
501-701-0020	20	258.6	243.57	55	140	25
501-701-0021	21	270.6	255.65	60	150	25
501-701-0022	22	282.7	267.73	60	150	25
501-701-0023	23	294.8	279.80	60	150	25
501-701-0024	24	306.8	291.88	60	150	25
501-701-0025	25	319.0	304.00	60	150	25

### Rollenkette DIN 8187

24 B-1	Teilung	38,1mm
1 1/2" x 1"	Innere Breite	25,4mm
38,1 x 25,4mm	Rollen ø	25,4mm

### Kettenrad DIN 8196

Zahnbreite B1	24,1mm
ab Zähnezahl 16 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-701-0026	26	331.0	316.08	60	160	30
501-701-0027	27	343.2	328.19	60	160	30
501-701-0028	28	355.2	340.27	60	160	30
501-701-0029	29	367.3	352.38	60	160	30
501-701-0030	30	379.5	364.50	60	160	30
501-701-0031	31	391.6	376.62	60	160	30
501-701-0032	32	403.7	388.69	60	160	30
501-701-0033	33	415.8	400.81	60	160	30
501-701-0034	34	427.8	412.93	60	160	30
501-701-0035	35	440.0	425.04	60	160	30
501-701-0036	36	452.0	437.16	60	160	30
501-701-0037	37	464.2	449.27	60	160	30
501-701-0038	38	476.2	461.39	60	160	30
501-701-0039	39	488.5	473.50	60	160	30
501-701-0040	40	500.6	485.62	60	160	30

### Rollenkette DIN 8187

24 B-1	Teilung	38,1mm
1 1/2" x 1"	Innere Breite	25,4mm
38,1 x 25,4mm	Rollen ø	25,4mm

### Kettenrad DIN 8196

Zahnbreite B1	24,1mm
ab Zähnezahl 16 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-751-0008	8	132.0	116.15	70	74	25
501-751-0009	9	148.4	129.96	70	88	25
501-751-0010	10	162.3	143.85	70	100	25
501-751-0011	11	176.3	157.77	70	112	25
501-751-0012	12	189.3	171.74	70	125	25
501-751-0013	13	204.2	185.75	70	130	25
501-751-0014	14	218.2	199.76	70	130	25
501-751-0015	15	232.3	213.79	70	145	25
501-751-0016	16	246.3	227.84	75	160	30
501-751-0017	17	260.0	241.90	75	160	30
501-751-0018	18	274.0	255.98	75	160	30
501-751-0019	19	289.0	270.06	75	160	30
501-751-0020	20	303.0	284.15	75	160	30
501-751-0021	21	317.0	298.24	75	170	30
501-751-0022	22	331.0	312.34	75	170	30
501-751-0023	23	345.0	326.44	75	170	30
501-751-0024	24	359.0	340.55	75	170	30
501-751-0025	25	373.0	354.66	75	170	30

### Rollenkette DIN 8187

28 B-1	Teilung	44,45mm
1 3/4" x 1 1/4"	Innere Breite	30,99mm
44,45 x 30,99mm	Rollen ø	27,94mm

### Kettenrad DIN 8196

Zahnbreite B1	29,4mm
ab Zähnezahl 13 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-751-0026	26	387.0	368.77	75	170	30
501-751-0027	27	401.0	382.88	75	170	30
501-751-0028	28	416.0	397.00	75	170	30
501-751-0029	29	430.0	411.12	75	170	30
501-751-0030	30	444.0	425.24	75	170	30
501-751-0031	31	458.0	439.37	75	180	30
501-751-0032	32	472.0	453.49	75	180	30
501-751-0033	33	486.0	467.62	75	180	30
501-751-0034	34	500.0	481.75	75	180	30
501-751-0035	35	514.0	495.88	75	180	30
501-751-0036	36	529.0	510.01	75	180	30
501-751-0037	37	543.0	524.13	75	180	30
501-751-0038	38	557.0	538.27	75	180	30
501-751-0039	39	571.0	552.40	75	180	30
501-751-0040	40	585.0	566.54	75	180	30

### Rollenkette DIN 8187

28 B-1	Teilung	44,45mm
1 3/4" x 1 1/4"	Innere Breite	30,99mm
44,45 x 30,99mm	Rollen ø	27,94mm

### Kettenrad DIN 8196

Zahnbreite B1	29,4mm
ab Zähnezahl 13 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex


GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-801-0008	8	152.0	132.74	80	85	30
501-801-0009	9	168.0	148.54	80	100	30
501-801-0010	10	184.0	164.39	80	115	30
501-801-0011	11	200.0	180.31	80	125	30
501-801-0012	12	216.0	196.29	80	133	30
501-801-0013	13	235.0	212.29	80	145	30
501-801-0014	14	251.0	228.29	80	145	30
501-801-0015	15	267.0	244.30	80	145	30
501-801-0016	16	283.0	260.40	90	160	30
501-801-0017	17	299.0	276.46	90	160	30
501-801-0018	18	315.0	292.55	90	160	30
501-801-0019	19	331.0	308.66	90	160	30
501-801-0020	20	347.0	324.71	90	180	40
501-801-0021	21	363.0	340.82	90	180	40
501-801-0022	22	379.0	356.98	90	180	40
501-801-0023	23	396.0	373.08	90	180	40
501-801-0024	24	412.0	389.18	90	180	40
501-801-0025	25	428.0	405.33	90	180	40

### Rollenkette DIN 8187

32 B-1	Teilung	50,8mm
2" x 1 1/4"	Innere Breite	30,99mm
50,8 x 30,99mm	Rollen ø	29,21mm

### Kettenrad DIN 8196

Zahnbreite B1	28,8mm
ab Zähnezahl 22 mit geschweißter Nabe	
Werkstoff:	C45



## Kettenräder - simplex

GG-Bestell-Nr.	Zz	D <sub>K</sub>	D	L	N <sub>b</sub>	D <sub>L</sub>
501-801-0026	26	444.0	421.44	90	180	40
501-801-0028	28	476.0	453.69	90	180	40
501-801-0030	30	508.0	486.00	90	180	40
501-801-0032	32	541.0	518.27	90	200	40
501-801-0035	35	589.0	566.71	90	200	40
501-801-0038	38	638.0	615.16	90	200	40
501-801-0040	40	670.0	647.47	90	200	40
501-801-0045	45	751.0	728.24	123	218	40
501-801-0050	50	832.0	809.04	123	218	40
501-801-0057	57	945.0	922.16	123	218	40
501-801-0060	60	993.0	970.65	123	218	40
501-801-0076	76	1252.0	1229.27	123	218	40

### Rollenkette DIN 8187

32 B-1	Teilung	50,8mm
2" x 1 1/4"	Innere Breite	30,99mm
50,8 x 30,99mm	Rollen ø	29,21mm

### Kettenrad DIN 8196

Zahnbreite B1	28,8mm
ab Zähnezahl 22 mit geschweißter Nabe	
Werkstoff:	C45