

Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _K	D	L	N _D	Klemmbuchse
501-101-0517	17	55.3	51.83	22	45	120-010-08XX
501-101-0518	18	58.3	54.85	22	45	120-010-08XX
501-101-0519	19	61.3	57.87	22	45	120-010-08XX
501-101-0520	20	64.3	60.89	22	46	120-010-08XX
501-101-0521	21	68.0	63.91	22	46	120-010-08XX
501-101-0522	22	71.0	66.93	22	50	120-010-08XX
501-101-0523	23	73.5	69.95	25	63	120-012-10XX
501-101-0524	24	77.0	72.97	25	63	120-012-10XX
501-101-0525	25	80.0	76.00	25	63	120-012-10XX
501-101-0526	26	83.0	79.02	25	63	120-012-10XX
501-101-0527	27	86.0	82.04	25	63	120-012-10XX
501-101-0528	28	89.0	85.07	25	63	120-012-10XX
501-101-0530	30	94.7	91.12	25	63	120-012-10XX
501-101-0538	38	119.5	115.35	25	70	120-012-10XX
501-101-0545	45	140.7	136.55	25	70	120-012-10XX
501-101-0557	57	176.9	172.91	25	70	120-012-10XX
501-101-0576	76	234.9	230.49	25	70	120-012-10XX

Rollenkette DIN 8187


06 B-1	Teilung	9,525mm
3/8 x 7/32"	Innere Breite	5,72mm
9,525 x 5,72	Rollen ø	6,35mm

Kettenrad

Zahnbreite B1	5,3mm
Werkstoff:	C45
Werkstoff:	Guss (ab Zähnezahl 45)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-010-08XX	ø 10/11/14/15/16/18/19/20/22/24/25
120-012-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32



Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _k	D	L	N _b	Klemmbuchse
501-201-0514	14	62.8	57.07	22	45	120-010-08XX
501-201-0515	15	66.8	61.09	22	50	120-010-08XX
501-201-0516	16	70.9	65.10	25	60	120-012-10XX
501-201-0517	17	74.9	69.11	25	60	120-012-10XX
501-201-0518	18	78.9	73.14	25	63	120-012-10XX
501-201-0519	19	82.9	77.16	25	71	120-012-10XX
501-201-0520	20	86.9	81.19	25	71	120-016-10XX
501-201-0521	21	91.0	85.22	25	71	120-016-10XX
501-201-0522	22	95.0	89.24	25	76	120-016-10XX
501-201-0523	23	99.0	93.27	25	76	120-016-10XX
501-201-0524	24	103.0	97.29	25	76	120-016-10XX
501-201-0525	25	107.1	101.33	25	76	120-016-10XX
501-201-0526	26	111.2	105.36	25	76	120-016-10XX
501-201-0527	27	115.4	109.40	25	76	120-016-10XX
501-201-0528	28	119.4	113.42	32	90	120-020-12XX
501-201-0530	30	127.5	121.50	32	90	120-020-12XX
501-201-0538	38	158.6	153.80	32	90	120-020-12XX
501-201-0545	45	188.0	182.07	32	100	120-020-12XX
501-201-0557	57	236.4	230.54	32	100	120-020-12XX
501-201-0576	76	313.3	307.33	32	100	120-020-12XX

Rollenkette DIN 8187

08 B-1
 1/2 x 5/16"
 12,7 x 7,75mm


Teilung 12,7mm
 Innere Breite 7,75mm
 Rollen ø 8,51mm

Kettenrad

Zahnbreite B1 7,2mm
 Werkstoff: C45
 Werkstoff: Guss (ab Zähnezahl 45)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-010-08XX	ø 10/11/14/15/16/18/19/20/22/24/25
120-012-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32
120-016-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32/35/38/40/42
120-020-12XX	ø 16/18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50



Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _k	D	L	N _b	Klemmbuchse
501-301-0513	13	73.0	66.32	22	47	120-010-08XX
501-301-0514	14	78.0	71.34	22	52	120-011-08XX
501-301-0515	15	83.0	76.36	25	60	120-012-10XX
501-301-0516	16	88.0	81.37	25	70	120-016-10XX
501-301-0517	17	93.0	86.39	25	71	120-016-10XX
501-301-0518	18	98.3	91.42	25	75	120-016-10XX
501-301-0519	19	103.3	96.45	25	75	120-016-10XX
501-301-0520	20	108.4	101.49	25	75	120-016-10XX
501-301-0521	21	113.4	106.52	25	76	120-016-10XX
501-301-0522	22	118.0	111.55	25	76	120-016-10XX
501-301-0523	23	123.4	116.58	25	76	120-016-10XX
501-301-0524	24	128.3	121.62	32	90	120-016-10XX
501-301-0525	25	134.0	126.66	32	90	120-020-12XX
501-301-0526	26	139.0	131.70	32	90	120-020-12XX
501-301-0527	27	144.0	136.75	32	90	120-020-12XX
501-301-0528	28	148.7	141.78	32	90	120-020-12XX
501-301-0530	30	158.8	151.87	32	90	120-020-12XX
501-301-0538	38	199.2	192.24	32	100	120-020-12XX
501-301-0545	45	235.0	227.58	32	100	120-020-12XX
501-301-0557	57	296.0	288.18	32	100	120-020-12XX
501-301-0576	76	392.1	384.16	32	100	120-020-12XX

Rollenkette DIN 8187

10 B-1
5/8 x 3/8"
15,875 x 9,65mm


Teilung 15,875mm
Innere Breite 9,65mm
Rollen ø 10,16mm

Kettenrad

Zahnbreite B1 9,10mm
Werkstoff: C45
Werkstoff: Guss (ab Zähnezahl 45)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-010-08XX	ø 10/11/14/15/16/18/19/20/22/24/25
120-012-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32
120-016-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32/35/38/40/42
120-020-12XX	ø 16/18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50



Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _k	D	L	N _b	Klemmbuchsen
501-401-0513	13	87.5	79.59	25	60	120-012-10XX
501-401-0514	14	93.6	85.61	25	70	120-016-10XX
501-401-0515	15	99.8	91.63	25	70	120-016-10XX
501-401-0516	16	105.5	97.65	25	75	120-016-10XX
501-401-0517	17	111.5	103.67	25	76	120-016-10XX
501-401-0518	18	118.0	109.71	32	90	120-020-12XX
501-401-0519	19	124.2	115.75	32	90	120-020-12XX
501-401-0520	20	129.7	121.78	32	90	120-020-12XX
501-401-0521	21	136.0	127.82	45	102	120-025-17XX
501-401-0522	22	141.8	133.86	45	102	120-025-17XX
501-401-0523	23	149.0	139.90	45	108	120-025-17XX
501-401-0524	24	153.9	145.94	45	108	120-025-17XX
501-401-0525	25	160.0	152.00	45	108	120-025-17XX
501-401-0526	26	165.9	158.04	45	108	120-025-17XX
501-401-0527	27	172.3	164.09	45	108	120-025-17XX
501-401-0528	28	178.0	170.13	45	108	120-025-17XX
501-401-0530	30	190.5	182.25	45	108	120-025-17XX
501-401-0538	38	239.0	230.69	45	108	120-025-17XX
501-401-0545	45	282.5	273.10	45	108	120-025-17XX
501-401-0557	57	355.4	345.81	45	108	120-025-17XX
501-401-0576	76	469.9	460.99	45	108	120-025-17XX
501-401-0595	95	585.1	576.17	45	108	120-025-17XX

Rollenkette DIN 8187


12 B-1	Teilung	19,05mm
3/4 x 7/16"	Innere Breite	11,68mm
19,05 x 11,68mm	Rollen ø	12,07mm

Kettenrad

Zahnbreite B1	11,10mm
Werkstoff:	C45
Werkstoff:	Guss (ab Zähnezahl 45)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-012-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32
120-016-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32/35/38/40/42
120-020-12XX	ø 16/18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50
120-025-17XX	ø 18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50/55/60/65



Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _k	D	L	N _b	Klemmbuchse
501-501-0513	13	117.0	106.12	25	73	120-016-10XX
501-501-0514	14	125.0	114.15	25	76	120-016-10XX
501-501-0515	15	133.0	122.17	25	76	120-016-10XX
501-501-0516	16	141.0	130.20	32	90	120-020-12XX
501-501-0517	17	149.0	138.22	32	90	120-020-12XX
501-501-0518	18	157.0	146.28	45	108	120-025-17XX
501-501-0519	19	165.2	154.33	45	108	120-025-17XX
501-501-0520	20	173.2	162.38	45	108	120-025-17XX
501-501-0521	21	181.2	170.43	45	110	120-025-17XX
501-501-0522	22	189.3	178.48	45	110	120-025-17XX
501-501-0523	23	197.5	186.53	45	110	120-025-17XX
501-501-0524	24	205.5	194.59	45	110	120-025-17XX
501-501-0525	25	213.5	202.66	45	110	120-025-17XX
501-501-0526	26	221.6	210.72	45	110	120-025-17XX
501-501-0527	27	229.6	218.79	45	110	120-025-17XX
501-501-0528	28	237.7	226.85	45	110	120-025-17XX
501-501-0530	30	254.0	243.00	51	140	120-030-20XX
501-501-0538	38	320.7	307.59	51	140	120-030-20XX
501-501-0545	45	377.1	364.13	51	140	120-030-20XX
501-501-0557	57	474.0	461.07	51	140	120-030-20XX
501-501-0576	76	627.0	614.65	51	140	120-030-20XX
501-501-0595	95	781.1	768.22	51	140	120-030-20XX

Rollenkette DIN 8187


16 B-1	Teilung	25,4mm
1" x 17,02mm	Innere Breite	17,02mm
25,4 x 17,02mm	Rollen ø	15,88mm

Kettenrad

Zahnbreite B1	16,2mm
Werkstoff:	C45
Werkstoff:	Guss (ab Zähnezahl 57)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-016-10XX	ø 12/14/15/16/18/19/20/22/24/25/26/28/30/32/35/38/40/42
120-020-12XX	ø 16/18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50
120-025-17XX	ø 18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50/55/60/65
120-030-20XX	ø 25/28/30/32/35/38/40/42/45/48/50/55/60/65/70/75



Kettenräder für Klemmbuchsen - simplex

GG-Bestell-Nr.	Zz	D _k	D	L	N _b	Klemmbuchse
501-601-0515	15	167.9	152.72	45	108	120-025-17XX
501-601-0517	17	187.9	172.78	45	108	120-025-17XX
501-601-0519	19	208.1	192.91	45	108	120-025-17XX
501-601-0521	21	228.2	213.04	45	108	120-025-17XX
501-601-0523	23	248.3	233.17	45	108	120-025-17XX
501-601-0525	25	268.5	253.33	45	108	120-025-17XX
501-601-0530	30	318.9	303.75	51	150	120-030-20XX
501-601-0538	38	399.6	384.49	51	160	120-030-20XX
501-601-0545	45	470.3	455.17	51	160	120-030-20XX
501-601-0557	57	591.5	576.39	51	160	120-030-20XX
501-601-0576	76	783.5	768.32	51	160	120-030-20XX

Rollenkette DIN 8187

20 B-1	Teilung	31,75mm
1 1/4 x 3/4"	Innere Breite	19,56mm
31,75 x 19,56mm	Rollen ø	19,05mm

Kettenrad

Zahnbreite B1	18,50mm
Werkstoff:	C45
Werkstoff:	Guss (ab Zähnezahl 38)

Klemmbuchsen

GG-Bestell-Nr.	Bohrung (XX)
120-025-17XX	ø 18/19/20/22/24/25/26/28/30/32/35/38/40/42/45/48/50/55/60/65
120-030-20XX	ø 25/28/30/32/35/38/40/42/45/48/50/55/60/65/70/75