

## Kettenräder rostfrei - simplex


| GG-Bestell-Nr. | Zz | D <sub>K</sub> | D     | L  | N <sub>b</sub> | D <sub>L</sub> |
|----------------|----|----------------|-------|----|----------------|----------------|
| 501-101-0612   | 12 | 40.0           | 36.80 | 25 | 25             | 8              |
| 501-101-0613   | 13 | 43.0           | 39.80 | 25 | 28             | 10             |
| 501-101-0614   | 14 | 46.3           | 42.80 | 25 | 31             | 10             |
| 501-101-0615   | 15 | 49.3           | 45.81 | 25 | 34             | 10             |
| 501-101-0616   | 16 | 52.3           | 48.82 | 28 | 37             | 10             |
| 501-101-0617   | 17 | 55.3           | 51.83 | 28 | 40             | 10             |
| 501-101-0618   | 18 | 58.3           | 54.85 | 28 | 43             | 10             |
| 501-101-0619   | 19 | 61.3           | 57.87 | 28 | 45             | 10             |
| 501-101-0620   | 20 | 64.3           | 60.89 | 28 | 46             | 10             |
| 501-101-0621   | 21 | 68.0           | 63.91 | 28 | 48             | 12             |
| 501-101-0622   | 22 | 71.0           | 66.93 | 28 | 50             | 12             |
| 501-101-0623   | 23 | 74.0           | 69.95 | 28 | 52             | 12             |
| 501-101-0624   | 24 | 77.0           | 72.97 | 28 | 54             | 12             |
| 501-101-0625   | 25 | 80.0           | 76.00 | 28 | 57             | 12             |
| 501-101-0630   | 30 | 94.7           | 91.12 | 28 | 60             | 12             |

### Rollenkette DIN 8187

|                |               |         |
|----------------|---------------|---------|
| 06 B-1         | Teilung       | 9,525mm |
| 3/8 x 7/32"    | Innere Breite | 5,72mm  |
| 9,525 x 5,72mm | Rollen ø      | 6,35mm  |

### Kettenrad DIN 8196

|               |        |
|---------------|--------|
| Zahnbreite B1 | 5,3mm  |
| Werkstoff:    | 1.4301 |



## Kettenräder rostfrei - simplex


| GG-Bestell-Nr. | Zz | D <sub>K</sub> | D      | L  | N <sub>b</sub> | D <sub>L</sub> |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-201-0612   | 12 | 53.9           | 49.07  | 28 | 33             | 10             |
| 501-201-0613   | 13 | 58.4           | 53.06  | 28 | 37             | 10             |
| 501-201-0614   | 14 | 62.8           | 57.07  | 28 | 41             | 10             |
| 501-201-0615   | 15 | 66.8           | 61.09  | 28 | 45             | 10             |
| 501-201-0616   | 16 | 70.9           | 65.10  | 28 | 50             | 12             |
| 501-201-0617   | 17 | 74.9           | 69.11  | 28 | 52             | 12             |
| 501-201-0618   | 18 | 78.9           | 73.14  | 28 | 56             | 12             |
| 501-201-0619   | 19 | 82.9           | 77.16  | 28 | 60             | 12             |
| 501-201-0620   | 20 | 86.9           | 81.19  | 28 | 64             | 12             |
| 501-201-0621   | 21 | 91.0           | 85.22  | 28 | 68             | 12             |
| 501-201-0622   | 22 | 95.0           | 89.24  | 28 | 70             | 12             |
| 501-201-0623   | 23 | 99.0           | 93.27  | 28 | 70             | 14             |
| 501-201-0624   | 24 | 103.0          | 97.29  | 28 | 70             | 14             |
| 501-201-0625   | 25 | 107.1          | 101.33 | 28 | 70             | 14             |
| 501-201-0626   | 26 | 111.2          | 105.36 | 30 | 70             | 16             |
| 501-201-0630   | 30 | 127.5          | 121.50 | 30 | 80             | 16             |

### Rollenkette DIN 8187

|               |               |        |
|---------------|---------------|--------|
| 08 B-1        | Teilung       | 12,7mm |
| 1/2 x 5/16"   | Innere Breite | 7,75mm |
| 12,7 x 7,75mm | Rollen ø      | 8,51mm |

### Kettenrad DIN 8196

|               |        |
|---------------|--------|
| Zahnbreite B1 | 7,2mm  |
| Werkstoff:    | 1.4301 |



## Kettenräder rostfrei - simplex


| GG-Bestell-Nr. | Zz | Dk    | D      | L  | Nb | Df |
|----------------|----|-------|--------|----|----|----|
| 501-301-0611   | 11 | 63.0  | 56.34  | 30 | 37 | 12 |
| 501-301-0612   | 12 | 68.0  | 61.34  | 30 | 42 | 12 |
| 501-301-0613   | 13 | 73.0  | 66.32  | 30 | 47 | 12 |
| 501-301-0614   | 14 | 78.0  | 71.34  | 30 | 52 | 12 |
| 501-301-0615   | 15 | 83.0  | 76.36  | 30 | 57 | 12 |
| 501-301-0616   | 16 | 88.0  | 81.37  | 30 | 60 | 12 |
| 501-301-0617   | 17 | 93.0  | 86.39  | 30 | 60 | 12 |
| 501-301-0618   | 18 | 98.3  | 91.42  | 30 | 70 | 14 |
| 501-301-0619   | 19 | 103.3 | 96.45  | 30 | 70 | 14 |
| 501-301-0620   | 20 | 108.4 | 101.49 | 30 | 75 | 14 |
| 501-301-0621   | 21 | 113.4 | 106.52 | 30 | 75 | 16 |
| 501-301-0622   | 22 | 118.0 | 111.55 | 30 | 80 | 16 |
| 501-301-0623   | 23 | 123.4 | 116.58 | 30 | 80 | 16 |
| 501-301-0624   | 24 | 128.3 | 121.62 | 30 | 80 | 16 |
| 501-301-0625   | 25 | 134.0 | 126.66 | 30 | 80 | 16 |
| 501-301-0630   | 30 | 158.8 | 151.87 | 35 | 90 | 20 |

### Rollenkette DIN 8187

|                 |               |          |
|-----------------|---------------|----------|
| 10 B-1          | Teilung       | 15,875mm |
| 5/8 x 3/8"      | Innere Breite | 9,65mm   |
| 15,875 x 9,65mm | Rollen ø      | 10,16mm  |

### Kettenrad DIN 8196

|               |        |
|---------------|--------|
| Zahnbreite B1 | 9,1mm  |
| Werkstoff:    | 1.4301 |



## Kettenräder rostfrei - simplex


| GG-Bestell-Nr. | Zz | D <sub>K</sub> | D      | L  | N <sub>b</sub> | D <sub>L</sub> |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-401-0611   | 11 | 75.0           | 67.61  | 35 | 46             | 14             |
| 501-401-0612   | 12 | 81.5           | 73.60  | 35 | 52             | 14             |
| 501-401-0613   | 13 | 87.5           | 79.59  | 35 | 58             | 14             |
| 501-401-0614   | 14 | 93.6           | 85.61  | 35 | 64             | 14             |
| 501-401-0615   | 15 | 99.8           | 91.63  | 35 | 70             | 14             |
| 501-401-0616   | 16 | 105.5          | 97.65  | 35 | 75             | 16             |
| 501-401-0617   | 17 | 111.5          | 103.67 | 35 | 80             | 16             |
| 501-401-0618   | 18 | 118.0          | 109.71 | 35 | 80             | 16             |
| 501-401-0619   | 19 | 124.2          | 115.75 | 35 | 80             | 16             |
| 501-401-0620   | 20 | 129.7          | 121.78 | 35 | 80             | 16             |
| 501-401-0621   | 21 | 136.0          | 127.82 | 40 | 90             | 20             |
| 501-401-0622   | 22 | 141.8          | 133.86 | 40 | 90             | 20             |
| 501-401-0623   | 23 | 149.0          | 139.90 | 40 | 90             | 20             |
| 501-401-0624   | 24 | 153.9          | 145.94 | 40 | 90             | 20             |
| 501-401-0625   | 25 | 160.0          | 152.00 | 40 | 90             | 20             |
| 501-401-0630   | 30 | 190.5          | 182.25 | 40 | 95             | 20             |

### Rollenkette DIN 8187

|                 |               |         |
|-----------------|---------------|---------|
| 12 B-1          | Teilung       | 19,05mm |
| 3/4 x 7/16"     | Innere Breite | 11,68mm |
| 19,05 x 11,68mm | Rollen ø      | 12,07mm |

### Kettenrad DIN 8196

|               |        |
|---------------|--------|
| Zahnbreite B1 | 11,1mm |
| Werkstoff:    | 1.4301 |



## Kettenräder rostfrei - simplex

| GG-Bestell-Nr. | Zz | D <sub>K</sub> | D      | L  | N <sub>b</sub> | D <sub>L</sub> |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-501-0613   | 13 | 117.0          | 106.12 | 40 | 78             | 16             |
| 501-501-0614   | 14 | 125.0          | 114.15 | 40 | 84             | 16             |
| 501-501-0615   | 15 | 133.0          | 122.17 | 40 | 92             | 16             |
| 501-501-0616   | 16 | 141.0          | 130.20 | 45 | 100            | 20             |
| 501-501-0617   | 17 | 149.0          | 138.22 | 45 | 100            | 20             |
| 501-501-0618   | 18 | 157.0          | 146.28 | 45 | 100            | 20             |
| 501-501-0619   | 19 | 165.2          | 154.33 | 45 | 100            | 20             |
| 501-501-0620   | 20 | 173.2          | 162.38 | 45 | 100            | 20             |
| 501-501-0621   | 21 | 181.2          | 170.43 | 50 | 110            | 20             |
| 501-501-0622   | 22 | 189.3          | 178.48 | 50 | 110            | 20             |
| 501-501-0623   | 23 | 197.5          | 186.53 | 50 | 110            | 20             |
| 501-501-0624   | 24 | 205.5          | 194.59 | 50 | 110            | 20             |
| 501-501-0625   | 25 | 213.5          | 202.66 | 50 | 110            | 20             |
| 501-501-0630   | 30 | 254.0          | 243.00 | 50 | 120            | 20             |

### Rollenkette DIN 8187

|                |               |         |
|----------------|---------------|---------|
| 16 B-1         | Teilung       | 25,4mm  |
| 1" x 17,02mm   | Innere Breite | 17,02mm |
| 25,4 x 17,02mm | Rollen ø      | 15,88mm |

### Kettenrad DIN 8196

|               |        |
|---------------|--------|
| Zahnbreite B1 | 16,2mm |
| Werkstoff:    | 1.4301 |