

Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|-------|----|----------------|----------------|
| 501-103-0008 | 8 | 28.0 | 24.89 | 32 | 15 | 6 |
| 501-103-0009 | 9 | 31.0 | 27.85 | 32 | 18 | 8 |
| 501-103-0010 | 10 | 34.0 | 30.82 | 32 | 20 | 10 |
| 501-103-0011 | 11 | 37.0 | 33.80 | 35 | 22 | 10 |
| 501-103-0012 | 12 | 40.0 | 36.80 | 35 | 25 | 10 |
| 501-103-0013 | 13 | 43.0 | 39.80 | 35 | 28 | 10 |
| 501-103-0014 | 14 | 46.3 | 42.80 | 35 | 31 | 12 |
| 501-103-0015 | 15 | 49.3 | 45.81 | 35 | 34 | 12 |
| 501-103-0016 | 16 | 52.3 | 48.82 | 35 | 37 | 12 |
| 501-103-0017 | 17 | 55.3 | 51.83 | 35 | 40 | 12 |
| 501-103-0018 | 18 | 58.3 | 54.85 | 35 | 43 | 12 |
| 501-103-0019 | 19 | 61.3 | 57.87 | 35 | 46 | 12 |
| 501-103-0020 | 20 | 64.3 | 60.89 | 35 | 49 | 12 |
| 501-103-0021 | 21 | 68.0 | 63.91 | 40 | 52 | 14 |
| 501-103-0022 | 22 | 71.0 | 66.93 | 40 | 55 | 14 |
| 501-103-0023 | 23 | 73.5 | 69.95 | 40 | 58 | 14 |
| 501-103-0024 | 24 | 77.0 | 72.97 | 40 | 61 | 14 |
| 501-103-0025 | 25 | 80.0 | 76.00 | 40 | 64 | 14 |

Rollenkette DIN 8187

| | | |
|----------------|---------------|---------|
| 06 B-3 | Teilung | 9,525mm |
| 3/8 x 7/32" | Innere Breite | 5,72mm |
| 9,525 x 5,72mm | Rollen ø | 6,35mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 5,3mm |
| Zahnbreite B3 | 25,6mm |
| Werkstoff: | C45 |



Kettenräder - triplex

| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-103-0026 | 26 | 83.0 | 79.02 | 40 | 67 | 14 |
| 501-103-0027 | 27 | 86.0 | 82.04 | 40 | 70 | 14 |
| 501-103-0028 | 28 | 89.0 | 85.07 | 40 | 73 | 14 |
| 501-103-0029 | 29 | 92.0 | 88.09 | 40 | 76 | 14 |
| 501-103-0030 | 30 | 94.7 | 91.12 | 40 | 79 | 14 |
| 501-103-0031 | 31 | 98.3 | 94.15 | 40 | 80 | 16 |
| 501-103-0032 | 32 | 101.3 | 97.17 | 40 | 80 | 16 |
| 501-103-0033 | 33 | 104.3 | 100.20 | 40 | 80 | 16 |
| 501-103-0034 | 34 | 107.3 | 103.23 | 40 | 85 | 16 |
| 501-103-0035 | 35 | 110.4 | 106.26 | 40 | 85 | 16 |
| 501-103-0036 | 36 | 113.4 | 109.29 | 40 | 90 | 16 |
| 501-103-0037 | 37 | 116.4 | 112.32 | 40 | 90 | 16 |
| 501-103-0038 | 38 | 119.5 | 115.34 | 40 | 90 | 16 |
| 501-103-0039 | 39 | 122.5 | 118.37 | 40 | 90 | 16 |
| 501-103-0040 | 40 | 125.5 | 121.40 | 40 | 90 | 16 |


Rollenkette DIN 8187

06 B-3
3/8 x 7/32"
9,525 x 5,72mm

Teilung 9,525mm
Innere Breite 5,72mm
Rollen ø 6,35mm

Kettenrad DIN 8196

Zahnbreite B1 5,3mm
Zahnbreite B3 25,6mm
Werkstoff: C45



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-203-0008 | 8 | 37.20 | 33.18 | 46 | 20 | 10 |
| 501-203-0009 | 9 | 41.50 | 37.13 | 46 | 24 | 12 |
| 501-203-0010 | 10 | 46.20 | 41.10 | 46 | 28 | 12 |
| 501-203-0011 | 11 | 49.60 | 45.07 | 50 | 32 | 14 |
| 501-203-0012 | 12 | 53.90 | 49.07 | 50 | 35 | 14 |
| 501-203-0013 | 13 | 58.40 | 53.06 | 50 | 38 | 14 |
| 501-203-0014 | 14 | 62.80 | 57.07 | 50 | 42 | 14 |
| 501-203-0015 | 15 | 66.80 | 61.09 | 50 | 46 | 14 |
| 501-203-0016 | 16 | 70.90 | 65.10 | 50 | 50 | 16 |
| 501-203-0017 | 17 | 74.90 | 69.11 | 50 | 54 | 16 |
| 501-203-0018 | 18 | 78.90 | 73.14 | 50 | 58 | 16 |
| 501-203-0019 | 19 | 82.90 | 77.16 | 50 | 62 | 16 |
| 501-203-0020 | 20 | 86.90 | 81.19 | 50 | 66 | 16 |
| 501-203-0021 | 21 | 91.00 | 85.22 | 55 | 70 | 20 |
| 501-203-0022 | 22 | 95.00 | 89.24 | 55 | 70 | 20 |
| 501-203-0023 | 23 | 99.00 | 93.27 | 55 | 70 | 20 |
| 501-203-0024 | 24 | 103.00 | 97.29 | 55 | 75 | 20 |
| 501-203-0025 | 25 | 107.10 | 101.33 | 55 | 80 | 20 |

Rollenkette DIN 8187

| | | |
|---------------|---------------|--------|
| 08 B-3 | Teilung | 12,7mm |
| 1/2 x 5/16" | Innere Breite | 7,75mm |
| 12,7 x 7,75mm | Rollen ø | 8,51mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 7,2mm |
| Zahnbreite B3 | 34,9mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-203-0026 | 26 | 111.20 | 105.36 | 55 | 85 | 20 |
| 501-203-0027 | 27 | 115.40 | 109.40 | 55 | 85 | 20 |
| 501-203-0028 | 28 | 119.40 | 113.42 | 55 | 90 | 20 |
| 501-203-0029 | 29 | 123.40 | 117.46 | 55 | 95 | 20 |
| 501-203-0030 | 30 | 127.50 | 121.50 | 55 | 100 | 20 |
| 501-203-0031 | 31 | 131.50 | 125.54 | 55 | 110 | 20 |
| 501-203-0032 | 32 | 135.50 | 129.56 | 55 | 110 | 20 |
| 501-203-0033 | 33 | 139.60 | 133.60 | 55 | 110 | 20 |
| 501-203-0034 | 34 | 143.60 | 137.64 | 55 | 110 | 20 |
| 501-203-0035 | 35 | 147.60 | 141.68 | 55 | 110 | 20 |
| 501-203-0036 | 36 | 151.70 | 145.72 | 55 | 120 | 25 |
| 501-203-0037 | 37 | 155.70 | 149.76 | 55 | 120 | 25 |
| 501-203-0038 | 38 | 159.80 | 153.80 | 55 | 120 | 25 |
| 501-203-0039 | 39 | 163.80 | 157.83 | 55 | 120 | 25 |
| 501-203-0040 | 40 | 167.80 | 161.87 | 55 | 120 | 25 |

Rollenkette DIN 8187

| | | |
|---------------|---------------|--------|
| 08 B-3 | Teilung | 12,7mm |
| 1/2 x 5/16" | Innere Breite | 7,75mm |
| 12,7 x 7,75mm | Rollen ø | 8,51mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 7,2mm |
| Zahnbreite B3 | 34,9mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-303-0008 | 8 | 47.0 | 41.48 | 55 | 25 | 12 |
| 501-303-0009 | 9 | 52.6 | 46.42 | 55 | 30 | 12 |
| 501-303-0010 | 10 | 57.5 | 51.37 | 55 | 35 | 16 |
| 501-303-0011 | 11 | 63.0 | 56.34 | 55 | 39 | 16 |
| 501-303-0012 | 12 | 68.0 | 61.34 | 55 | 44 | 16 |
| 501-303-0013 | 13 | 73.0 | 66.32 | 55 | 49 | 16 |
| 501-303-0014 | 14 | 78.0 | 71.34 | 55 | 54 | 16 |
| 501-303-0015 | 15 | 83.0 | 76.36 | 55 | 59 | 16 |
| 501-303-0016 | 16 | 88.0 | 81.37 | 60 | 64 | 16 |
| 501-303-0017 | 17 | 93.0 | 86.39 | 60 | 69 | 16 |
| 501-303-0018 | 18 | 98.3 | 91.42 | 60 | 74 | 16 |
| 501-303-0019 | 19 | 103.3 | 96.45 | 60 | 79 | 16 |
| 501-303-0020 | 20 | 108.4 | 101.49 | 60 | 84 | 16 |
| 501-303-0021 | 21 | 113.4 | 106.52 | 60 | 85 | 20 |
| 501-303-0022 | 22 | 118.0 | 111.55 | 60 | 90 | 20 |
| 501-303-0023 | 23 | 123.4 | 116.58 | 60 | 95 | 20 |
| 501-303-0024 | 24 | 128.3 | 121.62 | 60 | 100 | 20 |
| 501-303-0025 | 25 | 134.0 | 126.66 | 60 | 105 | 20 |

Rollenkette DIN 8187

| | | |
|-----------------|---------------|----------|
| 10 B-3 | Teilung | 15,875mm |
| 5/8 x 3/8" | Innere Breite | 9,65mm |
| 15,875 x 9,65mm | Rollen ø | 10,16mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 9,1mm |
| Zahnbreite B3 | 42,1mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-303-0026 | 26 | 139.0 | 131.70 | 60 | 110 | 20 |
| 501-303-0027 | 27 | 144.0 | 136.75 | 60 | 110 | 20 |
| 501-303-0028 | 28 | 148.7 | 141.78 | 60 | 115 | 20 |
| 501-303-0029 | 29 | 153.8 | 146.83 | 60 | 115 | 20 |
| 501-303-0030 | 30 | 158.8 | 151.87 | 60 | 120 | 20 |
| 501-303-0031 | 31 | 163.9 | 156.92 | 60 | 120 | 20 |
| 501-303-0032 | 32 | 168.9 | 161.95 | 60 | 120 | 20 |
| 501-303-0033 | 33 | 174.5 | 167.00 | 60 | 120 | 20 |
| 501-303-0034 | 34 | 179.0 | 172.05 | 60 | 120 | 20 |
| 501-303-0035 | 35 | 184.1 | 177.10 | 60 | 120 | 20 |
| 501-303-0036 | 36 | 189.1 | 182.15 | 60 | 120 | 25 |
| 501-303-0037 | 37 | 194.2 | 187.20 | 60 | 120 | 25 |
| 501-303-0038 | 38 | 199.2 | 192.24 | 60 | 120 | 25 |
| 501-303-0039 | 39 | 204.2 | 197.29 | 60 | 120 | 25 |
| 501-303-0040 | 40 | 209.3 | 202.34 | 60 | 120 | 25 |

Rollenkette DIN 8187

| | | |
|-----------------|---------------|----------|
| 10 B-3 | Teilung | 15,875mm |
| 5/8 x 3/8" | Innere Breite | 9,65mm |
| 15,875 x 9,65mm | Rollen ø | 10,16mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 9,1mm |
| Zahnbreite B3 | 42,1mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-403-0008 | 8 | 57.6 | 49.78 | 65 | 31 | 16 |
| 501-403-0009 | 9 | 62.0 | 55.70 | 65 | 37 | 16 |
| 501-403-0010 | 10 | 69.0 | 61.64 | 65 | 42 | 16 |
| 501-403-0011 | 11 | 75.0 | 67.61 | 70 | 47 | 20 |
| 501-403-0012 | 12 | 81.5 | 73.60 | 70 | 53 | 20 |
| 501-403-0013 | 13 | 87.5 | 79.59 | 70 | 59 | 20 |
| 501-403-0014 | 14 | 93.6 | 85.61 | 70 | 65 | 20 |
| 501-403-0015 | 15 | 99.8 | 91.63 | 70 | 71 | 20 |
| 501-403-0016 | 16 | 105.5 | 97.65 | 70 | 77 | 20 |
| 501-403-0017 | 17 | 111.5 | 103.67 | 70 | 83 | 20 |
| 501-403-0018 | 18 | 118.0 | 109.71 | 70 | 89 | 20 |
| 501-403-0019 | 19 | 124.2 | 115.75 | 70 | 95 | 20 |
| 501-403-0020 | 20 | 129.7 | 121.78 | 70 | 100 | 20 |
| 501-403-0021 | 21 | 136.0 | 127.82 | 70 | 100 | 20 |
| 501-403-0022 | 22 | 141.8 | 133.86 | 70 | 100 | 20 |
| 501-403-0023 | 23 | 149.0 | 139.90 | 70 | 110 | 20 |
| 501-403-0024 | 24 | 153.9 | 145.94 | 70 | 110 | 20 |
| 501-403-0025 | 25 | 160.0 | 152.00 | 70 | 120 | 20 |

Rollenkette DIN 8187

| | | |
|-----------------|---------------|---------|
| 12 B-3 | Teilung | 19,05mm |
| 3/4 x 7/16" | Innere Breite | 11,68mm |
| 19,05 x 11.68mm | Rollen ø | 12,07mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 11,1mm |
| Zahnbreite B3 | 49,8mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _p | D _L |
|----------------|----|----------------|--------|----|----------------|----------------|
| 501-403-0026 | 26 | 165.9 | 158.04 | 70 | 120 | 20 |
| 501-403-0027 | 27 | 172.3 | 164.09 | 70 | 120 | 20 |
| 501-403-0028 | 28 | 178.0 | 170.13 | 70 | 120 | 20 |
| 501-403-0029 | 29 | 184.1 | 176.19 | 70 | 120 | 20 |
| 501-403-0030 | 30 | 190.5 | 182.25 | 70 | 120 | 20 |
| 501-403-0031 | 31 | 196.3 | 188.31 | 70 | 130 | 25 |
| 501-403-0032 | 32 | 203.3 | 194.35 | 70 | 130 | 25 |
| 501-403-0033 | 33 | 209.3 | 200.40 | 70 | 130 | 25 |
| 501-403-0034 | 34 | 214.6 | 206.46 | 70 | 130 | 25 |
| 501-403-0035 | 35 | 221.0 | 212.52 | 70 | 130 | 25 |
| 501-403-0036 | 36 | 226.8 | 218.58 | 70 | 130 | 25 |
| 501-403-0037 | 37 | 232.9 | 224.64 | 70 | 130 | 25 |
| 501-403-0038 | 38 | 239.0 | 230.69 | 70 | 130 | 25 |
| 501-403-0039 | 39 | 245.1 | 236.75 | 70 | 130 | 25 |
| 501-403-0040 | 40 | 251.3 | 242.81 | 70 | 130 | 25 |

Rollenkette DIN 8187

| | | |
|-----------------|---------------|---------|
| 12 B-3 | Teilung | 19,05mm |
| 3/4 x 7/16" | Innere Breite | 11,68mm |
| 19,05 x 11.68mm | Rollen ø | 12,07mm |

Kettenrad DIN 8196

| | |
|---------------|--------|
| Zahnbreite B1 | 11,1mm |
| Zahnbreite B3 | 49,8mm |
| Werkstoff: | C45 |



Kettenräder - triplex


| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|-----|----------------|----------------|
| 501-503-0008 | 8 | 77.0 | 66.37 | 95 | 42 | 20 |
| 501-503-0009 | 9 | 85.0 | 74.27 | 95 | 50 | 20 |
| 501-503-0010 | 10 | 93.0 | 82.19 | 95 | 56 | 20 |
| 501-503-0011 | 11 | 99.5 | 90.14 | 100 | 64 | 25 |
| 501-503-0012 | 12 | 109.0 | 98.14 | 100 | 72 | 25 |
| 501-503-0013 | 13 | 117.0 | 106.12 | 100 | 80 | 25 |
| 501-503-0014 | 14 | 125.0 | 114.15 | 100 | 88 | 25 |
| 501-503-0015 | 15 | 133.0 | 122.17 | 100 | 96 | 25 |
| 501-503-0016 | 16 | 141.0 | 130.20 | 100 | 104 | 30 |
| 501-503-0017 | 17 | 149.0 | 138.22 | 100 | 112 | 30 |
| 501-503-0018 | 18 | 157.0 | 146.28 | 100 | 120 | 30 |
| 501-503-0019 | 19 | 165.2 | 154.33 | 100 | 128 | 30 |
| 501-503-0020 | 20 | 173.2 | 162.38 | 100 | 130 | 30 |
| 501-503-0021 | 21 | 181.2 | 170.43 | 100 | 130 | 30 |
| 501-503-0022 | 22 | 189.3 | 178.48 | 100 | 130 | 30 |
| 501-503-0023 | 23 | 197.5 | 186.53 | 100 | 130 | 30 |
| 501-503-0024 | 24 | 205.5 | 194.59 | 100 | 130 | 30 |
| 501-503-0025 | 25 | 213.5 | 202.66 | 100 | 130 | 30 |

Rollenkette DIN 8187

| | | |
|----------------|---------------|---------|
| 16 B-3 | Teilung | 25,40mm |
| 1" x 17,02mm | Innere Breite | 17,02mm |
| 25,4 x 17,02mm | Rollen ø | 15,88mm |

Kettenrad DIN 8196

| | |
|---------------------------------------|--------|
| Zahnbreite B1 | 16,2mm |
| Zahnbreite B3 | 79,6mm |
| ab Zähnezahl 21 mit geschweißter Nabe | |
| Werkstoff: | C45 |



Kettenräder - triplex

| GG-Bestell-Nr. | Zz | D _K | D | L | N _b | D _L |
|----------------|----|----------------|--------|-----|----------------|----------------|
| 501-503-0026 | 26 | 221.6 | 210.72 | 100 | 130 | 30 |
| 501-503-0027 | 27 | 229.6 | 218.79 | 100 | 130 | 30 |
| 501-503-0028 | 28 | 237.7 | 226.85 | 100 | 130 | 30 |
| 501-503-0029 | 29 | 245.8 | 234.92 | 100 | 130 | 30 |
| 501-503-0030 | 30 | 254.0 | 243.00 | 100 | 130 | 30 |
| 501-503-0031 | 31 | 262.0 | 251.08 | 100 | 140 | 30 |
| 501-503-0032 | 32 | 270.0 | 259.13 | 100 | 140 | 30 |
| 501-503-0033 | 33 | 278.5 | 267.21 | 100 | 140 | 30 |
| 501-503-0034 | 34 | 287.0 | 275.28 | 100 | 140 | 30 |
| 501-503-0035 | 35 | 296.2 | 283.36 | 100 | 140 | 30 |
| 501-503-0036 | 36 | 304.6 | 291.44 | 100 | 140 | 30 |
| 501-503-0037 | 37 | 312.6 | 299.51 | 100 | 140 | 30 |
| 501-503-0038 | 38 | 320.7 | 307.59 | 100 | 140 | 30 |
| 501-503-0039 | 39 | 328.8 | 315.67 | 100 | 140 | 30 |
| 501-503-0040 | 40 | 336.9 | 323.73 | 100 | 140 | 30 |

Rollenkette DIN 8187

| | | |
|----------------|---------------|---------|
| 16 B-3 | Teilung | 25,40mm |
| 1" x 17,02mm | Innere Breite | 17,02mm |
| 25,4 x 17,02mm | Rollen ø | 15,88mm |

Kettenrad DIN 8196

| | |
|---------------------------------------|--------|
| Zahnbreite B1 | 16,2mm |
| Zahnbreite B3 | 79,6mm |
| ab Zähnezahl 21 mit geschweißter Nabe | |
| Werkstoff: | C45 |